


EC-E-CT1-36TT



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (1) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (1) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (1) 36" male to male jumper cable [71-ECO-36JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-CT1-48TT



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (1) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (1) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (1) 48" male to male jumper cable [71-ECO-48JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-CT1-60TT



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (1) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (1) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (1) 60" male to male jumper cable [71-ECO-60JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-CT1-66TT



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (1) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (1) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (1) 72" male to male jumper cable [71-ECO-72JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-LR2-66TT



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (2) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (2) data opening cover caps (set of 2) [130802-1]
- (3) cable clamp pack (set of 3) [321357]
- (1) 36" male to male jumper cable [71-ECO-36JK]
- (1) 60" male to male jumper cable [71-ECO-60JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-CT1-72TT



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (1) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (1) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (1) 72" male to male jumper cable [71-ECO-72JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-LR2-72TT



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (2) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (2) data opening cover caps (set of 2) [130802-1]
- (3) cable clamp pack (set of 3) [321357]
- (1) 36" male to male jumper cable [71-ECO-36JK]
- (1) 60" male to male jumper cable [71-ECO-60JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-CT1-84TT



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (1) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (1) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (1) 84" male to male jumper cable [71-ECO-84JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-LR2-84TT



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (2) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (2) data opening cover caps (set of 2) [130802-1]
- (3) cable clamp pack (set of 3) [321357]
- (1) 36" male to male jumper cable [71-ECO-36JK]
- (1) 72" male to male jumper cable [71-ECO-72JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-CT1-96TT



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (1) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (1) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (1) 96" male to male jumper cable [71-ECO-96JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-LRT2-96TT



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (2) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (2) data opening cover caps (set of 2) [130802-1]
- (3) cable clamp pack (set of 3) [321357]
- (1) 36" male to male jumper cable [71-ECO-36JK]
- (1) 84" male to male jumper cable [71-ECO-84JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-CT1-48TZ



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (1) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (1) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (1) 48" male to male jumper cable [71-ECO-48JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infed sold separately and required to power table configuration



EC-E-CT1-48LC



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (1) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (1) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (1) 48" male to male jumper cable [71-ECO-48JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-CT1-60LC



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (1) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (1) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (1) 60" male to male jumper cable [71-ECO-60JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-CT1-48CR



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (1) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (1) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (1) 48" male to male jumper cable [71-ECO-48JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-CT1-48HR



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (1) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (1) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (1) 48" male to male jumper cable [71-ECO-48JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infed sold separately and required to power table configuration



EC-E-CT1-60HR



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (1) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (1) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (1) 60" male to male jumper cable [71-ECO-60JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-CT1-4272YG



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (1) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (1) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (1) 72" male to male jumper cable [71-ECO-72JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-LR2-4272YG



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (2) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (2) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (2) 36" male to male jumper cable [71-ECO-36JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-CT1-4584YG



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (1) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (1) data opening cover caps (set of 2) [130802-1]
- (2) cable clamp pack (set of 3) [321357]
- (1) 84" male to male jumper cable [71-ECO-84JK]

Y= color (BL) black or (SG) grey




male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration



EC-E-LR2-4584YG



=POWER TOP



=JUMPER CABLE

NOTE: Table Link Bracket (set of 2) selected as an option with top or as separate model LKB03TBL-LINK, **MUST** be installed to meet code requirements

BILL OF MATERIALS:

- (2) power top (2) 110 power – (2) data openings [71-ECO-WPM-Y]
- (2) data opening cover caps (set of 2) [130802-1]
- (3) cable clamp pack (set of 3) [321357]
- (1) 36" male to male jumper cable [71-ECO-36JK]
- (1) 48" male to male jumper cable [71-ECO-48JK]

Y= color (BL) black or (SG) grey



male cable end



NOTE: ECONO power infeed sold separately and required to power table configuration

