



SURCHARGE:

Effective for orders placed on and after **July 15th, 2021**, we will be adding a **2% surcharge** to the order total, which will be reflected as a line item on your acknowledgment and invoice. The surcharge will end with the fall price increase and will not be applied to any future orders that receive the October 4th increase outlined below.

PRICE INCREASE:

Effective **October 4th, 2021**, we will implement a **5.5% price increase** for all JSI products. Updated pricing will be available on e-tools following the release of the September DVD from 2020 Technologies and on the JSI website on October 4th.

QUICKSHIP TEMPORARILY SUSPENDED:

NOW!

Effective immediately we are **temporarily suspending our Quickship Program** in order to deliver on our promise of on time shipments. We apologize for the inconvenience and appreciate your understanding.




Accessories - Overview

Power Accessories

Pages 521-524



Power and
Data Tilt Out



Power and
Data Pop Up



15" Power and
Data Unit




Dual Sided Power
and Data Unit




Single Sided Power
and Data Unit

Telecom Jacks


Pages 528-531




HDMI Connector




Mini Stereo Jack




Network Jack




Voice Coupler



Data Jack



Dual Powered
Charging USB




3.0 USB Connector

Wire Management Accessories


Page 525



Vertical Wire Manager



Wire Management
Channel



Wire Management
Trough



Wire Management
Channel



Cable Management
Clip



Velcro Straps

Task Lights

Pages 532-533



48" w Task Light



24" w Task Light



31" w LED Starter
Task Light



31" w LED Linking
Adder Task Light



17" w LED Starter
Task Light




17" w LED Linking
Adder Task Light




Motion Sensor
for Task Lights

Keyboard Accessories

Pages 534




Articulating
Keyboard Tray



Articulating
Keyboard Tray



Articulating
Keyboard Tray



Articulating
Keyboard Tray



Keyboard Tray
Mouse Pad


Monitor Support Arm

Page 535



For Use with Desk Bookcases

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Power and Data Tilt Out	3	7		3		EC3	\$352



(standard location)

- spring assist tilt up access
- two power receptacles 120 volt, 15amp and two openings for voice/data jacks
- data adapter kit provided to accept jacks from most port manufacturers (see page 530)
- accepts up to two Type 3 Telecom Jacks (see page 531)
- 72" power cord with molded plug
- drop in field installation required
- cut out provided in center of back panel of storage cabinet below tackboard
- UL listed component
- Black or Silver finish

For Use with Desk and Conference Tables

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Mini Power and Data Tilt Up	4 1/4	5 1/2		6	1	EC10	\$405



- fluid one touch tilt up access
- one power receptacle - 120 volt; 15 amp and one opening for voice/data port
- data adapter kit provided to accept jacks from most port manufacturers (see page 527)
- accepts one Type 3 Telecom Jack (see page 531)
- 72" power cord with molded plug
- drop in field installation required
- cut out provided in top at specified location (see page 526)
- UL listed component
- Black or Silver finish

Mini Power Tilt Up	4 1/4	5 1/2		6	1	EC11	\$422
--------------------	-------	-------	--	---	---	------	-------



- fluid one touch tilt up access
- two power receptacles - 120 volt; 15 amp
- 72" power cord with molded plug
- drop in field installation required
- cut out provided in top at specified location (see page 526)
- UL listed component
- Black or Silver finish

Mini Power and USB Tilt Up	4 1/4	5 1/2		6	1	EC12	\$526
----------------------------	-------	-------	--	---	---	------	-------



- fluid one touch tilt up access
- two power receptacles - 120 volt; 15 amp dual powered USB
- 72" power cord with molded plug
- drop in field installation required
- cut out provided in top at specified location (see page 526)
- UL listed component
- Black or Silver finish

To Order, Specify:

❶ Model number

❷ Finish


For Use with Desk Bookcases

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Quad Power and Data Pop Up	11 5/8	11 5/8		27	3	EC1	\$2,663




- used on square top configuration
- spring loaded - touch release pop up
- two power receptacles - 120 volt; 15 amp on each side
- accepts up to four (4) Type 1 Telecom Plates; additional plate configurations sold separately, see pages 524-525
- unit ships standard with four (4) TCP101, two (2) TCP 110 Telecom Plates and two (2) data adapter kits
- 72" power cord with molded plug
- field installation required
- cut out provided in top at specified location (see page 526)
- must be located above 24" or larger round or square base
- black metal top, trim and housing standard
- brushed stainless steel top and trim available, specify and add \$640 list upcharge
- CSA certified component

Power and Data Pop Up	5	5	12	2	EC2	\$1,501
-----------------------	---	---	----	---	-----	---------




- used on square or round top configuration
- spring loaded - touch release pop up
- two power receptacles - 120 volt; 15 amp on both sides
- accepts up to two (2) Type 1 Telecom Plates; additional plate configurations sold separately, see page 524-525
- unit ships standard with two (2) TCP101, one (1) TCP 110 Telecom Plate and one (1) data adapter kit
- 72" power cord with molded plug
- field installation required
- cut out provided in top at specified location (see page 526)
- must be located above 18" or larger round or square base
- black metal top, trim and housing standard
- brushed stainless steel top and trim available, specify and add \$512 list upcharge
- CSA certified component

Power and Data Tilt Out	30	9	7	6	EC4	\$4,181
-------------------------	----	---	---	---	-----	---------








closed



open

- 30" power and data unit
- retractable doors
- standard in silver pearl powder coat
- brush aluminum doors available; specify and add \$1,753 list
- door design allows cords/cables to exit while doors are in closed position
- seven power receptacles
- one dual powered USB
- accepts up to six (6) Type 1 Telecom Plates; additional plate configurations sold separately, see see pages 528-529
- unit ships standard with six (6) TCP101, three (3) TCP110 Telecom Plates and three (3) data adapter kits
- power inserts are UL or ETL listed
- two 108" power cords with molded plugs
- cannot be positioned over table support base

Description	D	W	H	CTN WT	CU FT	① Model	List Price
15" Power and Data Unit  closed  open	15	9		4	2	EC5	\$2,673
<ul style="list-style-type: none"> retractable doors available in silver pearl powder coat brush aluminum doors available; specify and add \$877 list door design allows cords/cables to exit while doors are in closed position three power receptacles one dual powered USB accepts up to three (3) Type 1 Telecom Plates; additional plate configurations sold separately, see pages 528-529 unit ships standard with three (3) TCP101, two (2) TCP110 Telecom Plates and two (2) data adapter kits power inserts are UL or ETL listed 108" power cord with molded plug 							
Dual Sided Power and Data Unit  closed  open	11 1/2	14 3/4		7	2	EC6	\$1,865
<ul style="list-style-type: none"> door design allows cords/cables to exit while doors are in closed position eight power receptacles, four per side accepts up to eight (8) Type 1 Telecom Plates; additional plate configurations sold separately, see pages 528-529 unit ships standard with four (4) TCP101, four (4) TCP110 Telecom Plates and two (2) data adapter kits lids lift to open and contain an access slot to allow cords to exit while in use available in silver pearl and black texture powder coat units are UL listed and CSA certified 108" power cord with molded plug 							
Single Sided Power and Data Unit 	5 3/8	9		4	1	EC7	\$710
<ul style="list-style-type: none"> two power receptacles accepts one (1) Type 1 Telecom Plates; additional plate configurations sold separately, see pages 528-529 unit ships standard with one (1) TCP101, one (1) TCP110 Telecom Plate and one (1) data adapter kit additionally accepts up to (4) Type 2 Telecom Jacks lid lifts to open and contain an access slot to allow cords to exit while in use available in silver pearl or black textured powder coat finish units are UL listed and CSA certified 108" power cord with molded plug one under surface power receptacle 							


To Order, Specify:

① Model number

When ordering Quickship products, place a "Q" in front of model number.
Example: QAK1


NOW!
Need it.
JSI Quickship

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Single Sided Power and Data Unit	8 ¾	4		3	1	EC9	\$829




- two power receptacles - 120 volt, 15 amp and two openings for voice/data jacks
- data adapter kit provided to accept jacks from most port manufacturers (see page 526)
- accepts up to two Type 3 Telecom Jacks (see page 531)
- push to open pop up door
- clear anodized aluminum
- 72" power cord with molded plug
- UL listed

Dual Power and Data Tilt Up	8	8 ¾		16	1	EC13	\$1,071
-----------------------------	---	-----	--	----	---	------	---------




- fluid one touch tilt up access
- back to back tilt sections
- four power receptacles (2 per side) - 120 volt; 15 amp with four openings for voice/data jacks (2 per side)
- data adapter kit provided to accept jacks from most port manufacturers
- accepts up to four Type 3 Telecom Jacks (see page 531)
- two 72" power cord with molded plug
- drop in field installation required
- cut out provided in top at specified location (see page 526)
- UL listed component
- available in Silver (S)

Edge Mount Electrical	3	10		16	1	EC15	\$476
-----------------------	---	----	--	----	---	------	-------




- clamp mounts to the edge of the worksurface - requiring minimum 2" surface overhang
- three power receptacles - 120 volt; 15 amp with two voice/data ports
- data adapter kit provided to accept jacks from most port manufacturers
- accepts up to two Type 3 Telecom Jacks (see page 531)
- 72" power cord with molded plug - exits back of unit
- UL listed component
- clear anodized aluminum

Power Strip	1 ½	1 ¾	8			GP9ACP1-0212	\$76
-------------	-----	-----	---	--	--	--------------	------









- includes switch
- power surge with 10' cord
- four electrical outlets

Wire Management Trays	7 ½	45				GP9WMT1-0845	\$221
	7 ½	35				GP9WMT1-0835	\$187
	7 ½	25				GP9WMT1-0825	\$151



- silver powder-coated finish
- four hanging brackets (CI2C00)

Description	D	W	H	CTN WT	CU FT	1 Model	List Price
Vertical Wire Manager  <ul style="list-style-type: none"> flexible, vertebrae-style construction field installed to bottom of worksurface with screws provided length can be adjusted by removing individual discs as required wire manager is 1 1/2" diameter weighted base is 4" diameter black plastic 	1 1/2	1 1/2	45	4	1	45VWM	\$107
Wire Management Channel  <ul style="list-style-type: none"> available in 12", 24" and 36" increments field installed with adhesive tape provided black 	1/2	36	1	4		36WC	\$64
	1/2	24	1	3		24WC	\$57
	1/2	12	1	2		12WC	\$50
Wire Management Trough  <ul style="list-style-type: none"> available in 12", 24" and 36" increments field installed with screws provided black 	2 1/2	36	2 1/2	3		36WCT	\$126
	2 1/2	24	2 1/2	3		24WCT	\$113
	2 1/2	12	2 1/2	2		12WCT	\$126
Wire Management Trough  <ul style="list-style-type: none"> available in 12", 24" and 36" increments field installed with adhesive tape provided mounts to edge of surface top black 	1 1/8	36	2 3/8	1		36WJC	\$53
	1 1/8	24	2 3/8	1		24WJC	\$37
	1 1/8	12	2 3/8	1		12WJC	\$19
Cable Management Clip  <ul style="list-style-type: none"> four retention loops field installed with screws provided mounts under surface black 	2 5/8	3 3/4	1 5/8	1		0304CMC	\$43
Wire Management Velcro Straps  <ul style="list-style-type: none"> set of four field installed with adhesive tape provided mounts under surface or on vertical panels black 	1 3/4	3 1/2	1/8	1		04WVS	\$45




To Order, Specify:








1 Model number

When ordering Quickship products, place a "Q" in front of model number.
Example: QAK1

NOW!
Need it.
JSI Quickship

ACCESSORIES


Description		① Model	L	CTN WT	CU FT	List Price
	Jumper	EC4T-18JK	18	2	1	\$110
		EC4T-24JK	24	2	1	\$111
		EC4T-30JK	30	2	1	\$115
		EC4T-36JK	36	2	1	\$119
		EC4T-42JK	42	2	1	\$123
		EC4T-48JK	48	2	1	\$130
		EC4T-54JK	54	3	1	\$135
		EC4T-60JK	60	3	1	\$139
		EC4T-66JK	66	3	1	\$148
		EC4T-72JK	72	3	1	\$156
		EC4T-78JK	78	3	1	\$159
		EC4T-84JK	84	3	1	\$164
		EC4T-90JK	90	3	1	\$168
		EC4T-96JK	96	3	1	\$173
		EC4T-102JK	102	4	1	\$177
		EC4T-108JK	108	4	1	\$182
		EC4T-114JK	114	4	1	\$185
		EC4T-120JK	120	4	1	\$189
		EC4T-126JK	126	4	1	\$193
		EC4T-132JK	132	4	1	\$197
		EC4T-138JK	138	4	1	\$201
		EC4T-144JK	144	4	1	\$206

	Description	① Model	L	CTN WT	CU FT	List Price		
	Three Prong Power Infeed-Flex Metallic Conduit · single circuit infeed · two foot rubber cord transitions to metal conduit	EC4T-48APE	48	2	1	\$206		
		EC4T-60APE	60	3	1	\$213		
		EC4T-72APE	72	3	1	\$250		
		EC4T-84APE	84	3	1	\$295		
		EC4T-96APE	96	3	1	\$298		
		EC4T-108APE	108	4	1	\$306		
		EC4T-120APE	120	4	1	\$313		
	Hardwire Power Infeed-Flex Metallic Conduit · single or double circuit infeed · 4 wire 2 circuit system · 13 duplexes available per each circuit	EC4T-72HPE	72	3	1	\$146		
		EC4T-84HPE	84	3	1	\$154		
		EC4T-96HPE	96	3	1	\$163		
		EC4T-108HPE	108	4	1	\$173		
		EC4T-120HPE	120	4	1	\$179		
		EC4T-132HPE	132	4	1	\$184		
		EC4T-144HPE	144	4	1	\$193		
	Conduit Clamp · includes screw	SSCCLMP		1	1	\$9		
	Duplex Receptacle Kit Circuit 1 · used in single circuit and multi-circuit applications · vertical and horizontal mounting brackets included	EC4T-DUP1K		1	1	\$106		
	Duplex Receptacle Kit Circuit 2 · used in multi-circuit applications · vertical and horizontal mounting brackets included	EC4T-DUP2K		1	1	\$106		
	Receptacle to Receptacle Connector	EC4T-R2R		1	1	\$63		
	H Block Connector Kit · accepts one power infeed and connects up to three jumpers · mounting bracket included	EC4T-4HCON		1	1	\$70		
	Description	① Model	D	W	H	CTN WT	CU FT	List Price
	Quick Disconnect · hard wire connection (4 wire), mounts to wall · accommodates single or multi-circuit · connects directly to jumper in place of power infeed	SSQD	1	2 3/4	4 5/8	1	1	\$99

To Order, Specify:

- ① Model number


Standard Power and Data Locations for Casegoods:



- Specify - Location when ordering on desk, return, computer corner, bridge and credenza - please provide drawing.
- Computer corner units - power/data replaces grommet.
- Standard power and data unit locations are indicated from user side of desk, return, computer corner bridge or credenza.

NOTE: Verify fit of data jack in adapter before ordering large quantities as manufacturer designs may change without notice

Standard Power and Data Locations for Tables and Conference Units:




- Verify fit of jack in adapter before ordering large quantities as manufacturer designs may change without notice.
- Installation of Power and Data units on a seam of multi piece tops should be avoided when possible.
- Specify location when ordering conference tops or buffet credenza.
- Standard power and data units are indicated from the side of conference tops and user side of buffet credenza.

Data Adapter Applications

Data adapter kits ship with each power and data unit.

Adapter plates are marked on the back with letter designators to indicate the data jack manufacturer, series and style. Websites are listed below for quick reference to verify data jack series or style.




Included with EC9, EC10,
EC13, EC15, TCP110 and CC9CNE1-0708.

NOTE: Verify fit of data jack in adapter before ordering large quantities as manufacturer designs may change without notice.








Adapter	Manufacturer	Website
AA	Uniprise/Systimax/Avaya	www.uniprisesolutions.com
BB	Tyco SL and 100 Connect Series Modular Jacks	www.ampconnect.com
BB	Siemon Keystone Style	www.siemon.com
BB	Allen Tel Versa Tap Series	www.allentel.com
BB	Leviton Quick Port® Series	www.leviton.com
BB	Nordx Keystone Style	www.nordx.com
CC	Tyco SL Coupler Series	www.ampconnect.com
CC	Krone 6000 Series	www.adc.com
CC	Hubbell Xcelerator™ Keystone Series	www.hubbell.com
DD	Blank (no coupler/jack)	
EE	Ortronics TracJack Series	www.ortronics.com
FF	Panduit Mini-Com Series	www.panduit.com
GG	Microphone jack/3-pin XLR, solder type only	
HH	Video Monitor jack/DB-15, panel mount solder style	






The TCP110 Type 1 Data plate comes with the adapter kit to allow installation of data jacks listed above. The TCP110 can be installed in the EC1, EC2, EC4, EC5, EC6, EC7.



Type 1 Telecom Plates/Jacks



Description	D	W	H	CTN WT	CU FT	① Model	List Price
Data Plate - Blank Cap  <ul style="list-style-type: none"> for use in EC1, EC2, EC4, EC5, EC6, EC7 		1 3/4	3 1/8			TCP101	\$12
Data Plate - Three Cord Bushings  <ul style="list-style-type: none"> for use in EC1, EC2, EC4, EC5, EC6, EC7 		1 3/4	3 1/8			TCP102	\$49
Data Plate - Two Jacks  <ul style="list-style-type: none"> one RJ11 Cat3 Jack one RJ-45 Cat6 Jack for use in EC1, EC2, EC4, EC5, EC6, EC7 		1 3/4	3 1/8			TCP103	\$121
Data Plate - One Jack  <ul style="list-style-type: none"> one RJ-45 Cat6 jack for use in EC1, EC2, EC4, EC5, EC6, EC7 		1 3/4	3 1/8			TCP104	\$85
Data Plate - Two Jacks  <ul style="list-style-type: none"> two RJ-45 Cat6 jacks for use in EC1, EC2, EC4, EC5, EC6, EC7 		1 3/4	3 1/8			TCP105	\$162
Data Plate - Three Jacks  <ul style="list-style-type: none"> three RJ-45 Cat6 jacks for use in EC1, EC2, EC4, EC5, EC6, EC7 		1 3/4	3 1/8			TCP106	\$235
Data Plate - HDMI  <ul style="list-style-type: none"> one HDMI female to female with 36" cord for use in EC1, EC2, EC4, EC5, EC6, EC7 		1 3/4	3 1/8			TCP107	\$187



Description	D	W	H	CTN WT	CU FT	① Model	List Price
Data Plate - VGA and Mini-Stereo  <ul style="list-style-type: none"> one VGA female to female with 72" cord one Mini-Stereo Inline for use in EC1, EC2, EC4, EC5, EC6, EC7 		1 ¾	3 ⅝			TCP108	\$194
Data Plate - VGA, HDMI and Mini-Stereo  <ul style="list-style-type: none"> one VGA female to female with 72" cord one HDMI female to female with 36" cord one Mini-Stereo Inline for use in EC1, EC2, EC4, EC5, EC6, EC7 		1 ¾	3 ⅝			TCP109	\$364
Data Plate - Two Open Data Ports  <ul style="list-style-type: none"> used with two Type 3 Telecom Jacks; see page 531 for use in EC1, EC2, EC4, EC5, EC6, EC7 		1 ¾	3 ⅝			TCP110	\$16
Data Plate - USB 3.0  <ul style="list-style-type: none"> one USB 3.0 Type A/A with 36" patch cord with male end for use in EC1, EC2, EC4, EC5, EC6, EC7 data transfer port can become powered USB charging port with addition of TCP111-POW power supply 		1 ¾	3 ⅝			TCP111	\$216
USB Charging - Power Supply  <ul style="list-style-type: none"> USB power supply for use with TCP111 converts TCP111 into USB charging port power source under table or from building required to power unit 						TCP111-POW	\$132








To Order, Specify:

① Model number

Type 2 Telecom Jacks










Description	D	W	H	CTN WT	CU FT	① Model	List Price
Phone Jack  <ul style="list-style-type: none"> · RJ-11 phone jack · for use in EC7 						TCP201	\$90
Data Jack  <ul style="list-style-type: none"> · CAT6-RJ45 data jack · for use in EC7 						TCP202	\$90

Description	D	W	H	CTN WT	CU FT	① Model	List Price
HDMI Connector 						TCP301	\$98
<ul style="list-style-type: none"> • HDMI coupler • 18" cord • female to female connection • for use in EC9, EC10, EC13, EC15 • uses data adapter kit BB adapter plate 							
Mini Stereo Jack 						TCP302	\$27
<ul style="list-style-type: none"> • 3.5 mm Mini Stereo Jack • 10 foot cord • female to male connection • for use in EC9, EC10, EC13, EC15 • installs directly into unit without need of data adapter kit 							
Network Jack 						TCP303	\$88
<ul style="list-style-type: none"> • Cat5e RJ-45 Panduit Jack • Pre-terminated • 9 foot cord • 8-Pin • for use in EC9, EC10, EC13, EC15 • uses data adapter kit FF adapter plate 							
Voice Coupler 						TCP304	\$88
<ul style="list-style-type: none"> • AMP Category 3, RJ-11 • 6-Pin • connects to standard phone cord • for use in EC9, EC10, EC13, EC15 • uses data adapter kit CC adapter plate 							
Data Jack - VGA 15 Pin 						TCP305	\$121
<ul style="list-style-type: none"> • 120" M/F cable - female-to-male connection • 15 pin connections • provides electronic device to remove display connection • uses data adapter kit HH adapter plate 							
Dual Powered USB Charging 						TCP306	\$162
<ul style="list-style-type: none"> • two (2) USB-A connections for USB powered devices or charging mobile electronics • 2000mA (2 amp) charging power per USB port • black or white option • for use in EC9, EC10, EC13, EC15 • installs directly into unit without need of data adapter kit • 27" cord 							
Data Jack - USB 3.0 						TCP307	\$88
<ul style="list-style-type: none"> • USB 3.0 data jack with 10' cord and male plug • for use in EC9, EC10, EC13, EC15 • data transfer port - no USB charging capability • data transfer speed up to 5gbs/sec • uses data adapter kit HH adapter plate 							

To Order, Specify:

① Model number

Description	D	W	H	CTN WT	CU FT	① Model	List Price
48" w Task Light 	4 ½	48	1 ½	6	1	48T5L	\$425
<ul style="list-style-type: none"> • use with overhead cabinets 60" wide and larger • uses slim energy-efficient T5 - 3500k lamp (included) • two position on - off switch • prismatic lens with electronic ballast • ETL listed component • factory installation optional (no additional charge); please specify unit where light is to be installed 							
24" w Task Light 	4 ½	24	1 ½	4	1	24T5L	\$295
<ul style="list-style-type: none"> • use with overhead cabinets 30" wide and larger • uses slim energy-efficient T5 - 3500k lamp (included) • two position on - off switch • prismatic lens with electronic ballast • ETL listed component • factory installation optional (no additional charge); please specify unit where light is to be installed 							
31" w LED Starter Task Light 	2	31	½	4	1	TL31LED-S	\$675
<ul style="list-style-type: none"> • use with overhead cabinets 42" wide and larger • slim energy-efficient stand alone or starter LED lamp • soft touch switching with instant on to fade way off • infinite dimming with last state memory (dimming range 100% to 15%) • automatic time off after 10 hours • includes power supply • ETL listed component • GSA compliant • factory installation optional (no additional charge); please specify unit where light is to be installed 							
31" w LED Linking Adder Task Light 	2	31	½	4	1	TL31LED-A	\$595
<ul style="list-style-type: none"> • use with overhead cabinets 42" wide and larger • slim energy-efficient LED lamp for linking to a starter task light • string may contain 1 starter with up to five adders • soft touch switching with instant on to fade way off • infinite dimming with last state memory (dimming range 100% to 15%) • automatic time off after 10 hours • ETL listed component • GSA compliant • factory installation optional (no additional charge); please specify unit where light is to be installed 							






Description	D	W	H	CTN WT	CU FT	1 Model	List Price
17" w LED Starter Task Light 	2	17	½	2	1	TL17LED-S	\$549
<ul style="list-style-type: none"> • use with overhead cabinets 30" wide and larger • slim energy-efficient stand alone or starter LED lamp • soft touch switching with instant on to fade way off • infinite dimming with last state memory (dimming range 100% to 15%) • automatic time off after 10 hours • includes power supply • ETL listed component • GSA compliant • factory installation optional (no additional charge); please specify unit where light is to be installed 							
17" w LED Linking Adder Task Light 	2	17	½	2	1	TL17LED-A	\$376
<ul style="list-style-type: none"> • use with overhead cabinets 30" wide and larger • slim energy-efficient LED lamp for linking to a starter task light • string may contain 1 starter with up to five adders • soft touch switching with instant on to fade way off • infinite dimming with last state memory (dimming range 100% to 15%) • automatic time off after 10 hours • ETL listed component • GSA compliant • factory installation optional (no additional charge); please specify unit where light is to be installed 							
Motion Sensor for Task Lights 	2	3	½	1	1	TL03-OCPS	\$369
<ul style="list-style-type: none"> • occupancy sensor for LED task lights • integrates with TL31LED or TL17LED • shuts off after 30 minutes of inactivity • connects to end of light fixture (adds 3" to length of fixture) • one sensor controls starter and connected adders 							

To Order, Specify:


1 Model number

When ordering Quickship products, place a "Q" in front of model number.
 Example: QAK1

NOW!
Need it.
JSI Quickship


Description	D	W	H	CTN WT	CU FT	① Model	List Price
Articulating Keyboard Tray  <ul style="list-style-type: none"> • articulating keyboard tray - black color • mouse tray included • 16" glide track • easy one-handed adjustment; vertical range of motion of 5.1" below glide track • tray tilt range +10 degree to -20 degree • unit swivels side-to-side • tray size is 19.4" wide x 9.4" deep • tray includes palm rest • tray is made with recyclable high density polyethylene 	13	24	7	14	2	AK2	\$511
Articulating Keyboard Tray  <ul style="list-style-type: none"> • articulating keyboard tray - black color • mouse tray included • 17" glide track • easy one-handed adjustment; vertical range of motion of 8.9"; (6.5" below the glide track and an additional 2.38" above) • tray tilt range +10 degree to -20 degree • unit swivels side-to-side • tray size is 19.4" wide x 9.4" deep • tray includes palm rest • tray is made with recyclable high density polyethylene 	13	24	7	12	2	AK3	\$565
Articulating Keyboard Tray  <ul style="list-style-type: none"> • trackless articulating keyboard tray - black color • mouse tray included • use when depth under work surface for mounting is limited; minimum of 9.38" depth recommended • easy one-handed adjustment; vertical range of motion of 5.73 • tray tilt range +10 degree to -15 degree • unit swivels side-to-side • tray size is 19.4" wide x 9.4" deep • tray includes palm rest • tray is made with recyclable high density polyethylene 	11	23	3	11	2	AK5	\$528
Articulating Keyboard Tray  <ul style="list-style-type: none"> • trackless articulating keyboard tray - black color • mouse tray included • use when depth under work surface for mounting is limited; minimum of 9.38" depth recommended • easy one-handed adjustment; vertical range of motion of 5.73 • tray tilt range +10 degree to -15 degree • unit swivels side-to-side • tray size is 19.4" wide x 9.4" deep • tray includes palm rest • tray is made with recyclable high density polyethylene 	14	23	7	15	2	AK4	\$606
Keyboard Tray Mouse Pad  <ul style="list-style-type: none"> • adjusts for user comfort • 8" x 8" • for left or right hand operation • compatible with AK4 Keyboard Drawer only 	8	8	1/4	2		MT4	\$176

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Center Drawer	16	22	1 1/2	8	3	1622CD	\$305



- non-locking

Monitor Support Arm	12	6	17	9		AMA3B	\$532
---------------------	----	---	----	---	--	-------	-------



- 360 degree swivel
- adjusts height, tilt and distance of monitor screen to user
- integrated cable management
- grommet and edge clamp mount included
- black finish
- monitor not included
- will fit monitors made to the VESA standard of 75 mm or 100 mm hole spacing in a square configuration

Conference


Flat Screen Mount - Universal Bracket (standard with TV, DTV and FSTV model)

Peerless® ST650 universal tilting flat screen mount is supplied with the FSTV Flat Screen Mounting Frame.

- For use with 32"-50" screens
- Maximum weight 175 lbs. (79kg)
- Tilt 15° forward and -5° backward angles
- Mounting pattern allows up to 6" of vertical adjustment

NOTE: To verify TV interface to universal bracket

1. Access website - www.peerlessmounts.com
2. Locate "Mount Finder™" on home page side navigation bar
3. Enter make and/or model of your flat screen
4. Verify model: ST650 is listed as available model



To Order, Specify:

- ① Model number

When ordering Quickship products, place a "Q" in front of model number.
Example: QAK1

NOW!
Need it.
JSI Quickship