




Accessories - Overview

Power Accessories

Pages [GP3-GP10](#)



Power and
Data Tilt Out



15" Power and
Data Unit




Dual Sided Power
and Data Unit




Single Sided Power
and Data Unit

Telecom Jacks


Pages [GP16-GP19](#)




HDMI Connector




Mini Stereo Jack




Network Jack




Voice Coupler



Data Jack



Dual Powered
Charging USB



3.0 USB Connector

Wire Management Accessories


Page [GP11](#)



Vertical Wire Manager



Wire Management
Channel



Wire Management
Trough



Wire Management
Channel



Cable Management
Clip




Velcro Straps

Tasklights

Pages [GP20-GP21](#)



Tasklights




LED Tasklights




Motion Sensor
for Tasklights

Keyboard Accessories


Pages [GP22-GP23](#)




Articulating
Keyboard Tray



Articulating
Keyboard Tray



Articulating
Keyboard Tray



Articulating
Keyboard Tray






Keyboard Tray
Mouse Pad

Monitor Support Arm

Page [GP24-GP25](#)



For Use with Desk and Conference Tables


Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Mini Power and Data Tilt Up  <ul style="list-style-type: none"> • fluid one touch tilt up access • one power receptacle - 120 volt; 15 amp and one opening for voice/data port • data adapter kit provided to accept jacks from most port manufacturers (see page GP15) • accepts one Type 3 Telecom Jack (see page GP19) • 72" power cord with molded plug • drop in field installation required • cut out provided in top at specified location (see page GP14) • UL listed component • Black or Silver finish 	4 1/4	5 1/2		6	1	EC10	\$410
Mini Power Tilt Up  <ul style="list-style-type: none"> • fluid one touch tilt up access • two power receptacles - 120 volt; 15 amp • 72" power cord with molded plug • drop in field installation required • cut out provided in top at specified location (see page GP14) • UL listed component • Black or Silver finish 	4 1/4	5 1/2		6	1	EC11	\$426
Mini Power and USB Tilt Up  <ul style="list-style-type: none"> • fluid one touch tilt up access • one power receptacle - 120 volt; one 20-watt USB-C+A • 72" power cord with molded plug • drop in field installation required • cut out provided in top at specified location (see page GP14) • UL listed component • Black or Silver finish 	4 1/4	5 1/2		6	1	EC12	\$459

To Order, Specify:


❶ Model number

For Use with Conference Tables

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Power and Data Tilt Out	30	9		7	6	EC4	\$3,796








closed



open


- 30" power and data unit
- retractable doors
- standard in silver pearl powder coat
- brush aluminum doors available; specify and add \$1,455 list
- door design allows cords/cables to exit while doors are in closed position
- seven power receptacles
- one dual powered USB
- accepts up to six (6) Type 1 Telecom Plates; additional plate configurations sold separately, see see page [GP15](#)
- unit ships standard with six (6) TCP101, three (3) TCP110 Telecom Plates and three (3) data adapter kits
- power inserts are UL or ETL listed
- two 108" power cords with molded plugs
- cannot be positioned over table support base

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
15" Power and Data Unit  closed  open	15	9		4	2	EC5	\$2,233
<ul style="list-style-type: none"> retractable doors available in silver pearl powder coat brush aluminum doors available; specify and add \$936 list door design allows cords/cables to exit while doors are in closed position three power receptacles one dual powered USB accepts up to three (3) Type 1 Telecom Plates; additional plate configurations sold separately, see page GP15 unit ships standard with three (3) TCP101, two (2) TCP110 Telecom Plates and two (2) data adapter kits power inserts are UL or ETL listed 108" power cord with molded plug 							
Dual Sided Power and Data Unit  closed  open	11 ½	14 ¾		7	2	EC6	\$1,552
<ul style="list-style-type: none"> door design allows cords/cables to exit while doors are in closed position eight power receptacles, four per side accepts up to eight (8) Type 1 Telecom Plates; additional plate configurations sold separately, see page GP15 unit ships standard with four (4) TCP101, four (4) TCP110 Telecom Plates and two (2) data adapter kits lids lift to open and contain an access slot to allow cords to exit while in use available in silver pearl and black texture powder coat units are UL listed and CSA certified 108" power cord with molded plug 							
Single Sided Power and Data Unit 	5 ¾	9		4	1	EC7	\$603
<ul style="list-style-type: none"> two power receptacles accepts one (1) Type 1 Telecom Plates; additional plate configurations sold separately, see page GP15 unit ships standard with one (1) TCP101, one (1) TCP110 Telecom Plate and one (1) data adapter kit additionally accepts up to (4) Type 2 Telecom Jacks lid lifts to open and contain an access slot to allow cords to exit while in use available in silver pearl or black textured powder coat finish units are UL listed and CSA certified 108" power cord with molded plug one under surface power receptacle 							

To Order, Specify:


❶ Model number

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Single Sided Power and Data Unit	8 ¾	4		3	1	EC9	\$546




- two power receptacles - 120 volt, 15 amp and two openings for voice/data jacks
- data adapter kit provided to accept jacks from most port manufacturers (see page [GP15](#))
- accepts up to two Type 3 Telecom Jacks (see page [GP19](#))
- push to open pop up door
- clear anodized aluminum
- 72" power cord with molded plug
- UL listed

Dual Power and Data Tilt Up	8	8 ¾		16	1	EC13	\$1,084
-----------------------------	---	-----	--	----	---	------	---------




- fluid one touch tilt up access
- back to back tilt sections
- four power receptacles (2 per side) - 120 volt; 15 amp with four openings for voice/data jacks (2 per side)
- data adapter kit provided to accept jacks from most port manufacturers
- accepts up to four Type 3 Telecom Jacks (see page [GP19](#))
- two 72" power cord with molded plug
- drop in field installation required
- cut out provided in top at specified location (see page [GP14](#))
- UL listed component
- available in Silver (S)

Edge Mount Electrical	3	10		16	1	EC15	\$509
-----------------------	---	----	--	----	---	------	-------




- clamp mounts to the edge of the worksurface - requiring minimum 2" surface overhang
- three power receptacles - 120 volt; 15 amp with two voice/data ports
- data adapter kit provided to accept jacks from most port manufacturers
- accepts up to two Type 3 Telecom Jacks (see page [GP19](#))
- 72" power cord with molded plug - exits back of unit
- UL listed component
- clear anodized aluminum

Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Moire Power Unit	3 ¾	3 ¾	2	5	1	EC23	\$516




- three power 110 outlets
- one 20-watt USB-C+A
- 72" 3-prong - 15amp plug power feed
- 15amp/110 volt
- specify Black (BK) or White (WH)

Node Power Unit	3 ¾	3 ¾	¾	5	1	EC24	\$412
-----------------	-----	-----	---	---	---	------	-------



- one power
- one 20-watt USB-C+A, 72" cord
- color: black or white

Ellora Power Unit	5 ½	8 ½	3 ½	5	1	EC25	\$790
-------------------	-----	-----	-----	---	---	------	-------




- used in Media Table or Media Credenza
- two power, one 20-watt USB-C+A & one opening for voice/data port, 72" power cord
- adapter kit provided to accept jacks for most port manufactures
- accepts one Type 3 telecom jack
- wire pass-through
- anodized aluminum

To Order, Specify:


- ❶ Model number

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Worksurface Power	2 5/8	6 3/8	3	3	1	EC26	\$486




- two (2) AC 15 amp 120 volt power outlets
- one (1) 2.4A reversible USB-A charging port & one (1) 60-watt USB-C power delivery port
- 120" power cord with molded plug
- UL Listed
- meets UL spill requirements
- White (W) or Black (B) finish available, specify when ordering

Under Surface Power	3	6 1/2	1 13/16	2	1	EC27	\$419
---------------------	---	-------	---------	---	---	------	-------






- two (2) AC 15 amp 120 volt power outlets
- one (1) 2.4A reversible USB-A charging port & one (1) 60-watt USB-C power delivery port
- 120" power cord with molded plug
- UL Listed
- White (W) or Black (B) finish available, specify when ordering

Edge Mount Power	3 1/2	5 1/2	7 1/2	3	1	EC28	\$445
------------------	-------	-------	-------	---	---	------	-------













- two (2) AC 15 amp 120 volt power outlets
- one (1) 2.4A reversible USB-A charging port & one (1) 60-watt USB-C power delivery port
- 120" power cord with molded plug
- UL Listed
- White (W) or Black (B) finish available, specify when ordering

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Power Center - Under Mount  <ul style="list-style-type: none"> · one (1) AC 15 amp 120 volt power outlets · one (1) 2.4A reversible USB-A charging port & one (1) 60-watt USB-C power delivery port · 10' cord · frame mounted · overall mounting bracket tabs: 5"w · UL listed · specify black or white - cord color will match unit · optional graphite fabric cord available, specify and add \$169 list 	2 ¾	4	2 ⅝			EC30	\$408
Wireless Charging Unit  <ul style="list-style-type: none"> · wireless charging for use with Qi enabled devices · 72" power cord · black · UL Listed · CE/FCC certified 	3 ½	3 ½	1	3	1	EC33	\$362
Under Surface Convenience Power Unit  <ul style="list-style-type: none"> · three outlets · 108" power cord · black · ETL Listed for US 	3 ⅛	7 ⅛	2 ⅛	3	1	EC34	\$316

To Order, Specify:


① Model number

Description	D	W	H	CTN WT	CU FT	① Model	List Price
2"dia. Grommet  <ul style="list-style-type: none"> · use in panels $\frac{3}{4}$" thick or greater · plastic sleeve and removable lid · matte black (MBK) · interior $1\frac{1}{2}$" dia. · recommended $1\frac{3}{4}$" dia. cut out for installation in field 	2	2	$\frac{7}{8}$			GP02FIG	\$36
3"dia. Grommet  <ul style="list-style-type: none"> · use in panels $\frac{3}{4}$" thick or greater · plastic sleeve and removable lid · matte black (MBK) · interior $2\frac{1}{4}$" dia. · recommended $2\frac{5}{8}$" dia. cut out for installation in field 	3	3	$\frac{3}{4}$			GP03FIG	\$36
Power Strip  <ul style="list-style-type: none"> · includes switch · power surge with 10' cord · four electrical outlets 	$1\frac{1}{2}$	$1\frac{7}{8}$	8			GP9ACP1-0212	\$100
Wire Management Trays  <ul style="list-style-type: none"> · silver powder-coated finish · four hanging brackets (CI2C00) 	$7\frac{1}{2}$	45				GP9WMT1-0845	\$291
	$7\frac{1}{2}$	35				GP9WMT1-0835	\$245
	$7\frac{1}{2}$	25				GP9WMT1-0825	\$199

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Vertical Wire Manager  <ul style="list-style-type: none"> flexible, vertebrae-style construction field installed to bottom of worksurface with screws provided length can be adjusted by removing individual discs as required wire manager is 1 1/2" diameter weighted base is 4" diameter black plastic 	1 1/2	1 1/2	45	4	1	45VWM	\$141
Wire Management Channel  <ul style="list-style-type: none"> available in 12", 24" and 36" increments field installed with adhesive tape provided black 	1/2	36	1	4		36WC	\$86
	1/2	24	1	3		24WC	\$77
	1/2	12	1	2		12WC	\$67
Wire Management Trough  <ul style="list-style-type: none"> available in 12", 24" and 36" increments field installed with screws provided black 	2 1/2	36	2 1/2	3		36WCT	\$164
	2 1/2	24	2 1/2	3		24WCT	\$149
	2 1/2	12	2 1/2	2		12WCT	\$128
Wire Management Trough  <ul style="list-style-type: none"> available in 12", 24" and 36" increments field installed with adhesive tape provided mounts to edge of surface top black 	1 1/8	36	2 3/8	1		36WJC	\$70
	1 1/8	24	2 3/8	1		24WJC	\$51
	1 1/8	12	2 3/8	1		12WJC	\$28
Cable Management Clip  <ul style="list-style-type: none"> four retention loops field installed with screws provided mounts under surface black 	2 5/8	3 3/4	1 5/8	1		0304CMC	\$59
Wire Management Velcro Straps  <ul style="list-style-type: none"> set of four field installed with adhesive tape provided mounts under surface or on vertical panels black 	1 3/4	3 1/2	1/8	1		04WVS	\$61


To Order, Specify:

① Model number







Description	D	W	H	CTN WT	CU FT	① Model	List Price
Jumper 		144		4	1	EC4T-144JK	\$271
		138		4	1	EC4T-138JK	\$264
		132		4	1	EC4T-132JK	\$257
		126		4	1	EC4T-126JK	\$253
		120		4	1	EC4T-120JK	\$247
		114		4	1	EC4T-114JK	\$243
		108		4	1	EC4T-108JK	\$240
		102		4	1	EC4T-102JK	\$232
		96		3	1	EC4T-96JK	\$227
		90		3	1	EC4T-90JK	\$221
		84		3	1	EC4T-84JK	\$215
		78		3	1	EC4T-78JK	\$208
		72		3	1	EC4T-72JK	\$204
		66		3	1	EC4T-66JK	\$195
		60		3	1	EC4T-60JK	\$184
		54		3	1	EC4T-54JK	\$178
		48		2	1	EC4T-48JK	\$171
		42		2	1	EC4T-42JK	\$162
		36		2	1	EC4T-36JK	\$158
		30		2	1	EC4T-30JK	\$152
		24		2	1	EC4T-24JK	\$148
		18		2	1	EC4T-18JK	\$147

Three Prong Power Infeed - Flex Metallic Conduitr 	120			4	1	EC4T-120APE	\$409
	108			4	1	EC4T-108APE	\$400
	96			3	1	EC4T-96APE	\$388
	84			3	1	EC4T-84APE	\$385
	72			3	1	EC4T-72APE	\$327
	60			3	1	EC4T-60APE	\$278
	48			2	1	EC4T-48APE	\$271

- single circuit infeed
- two foot rubber cord transitions to metal conduit


Hardwire Power Infeed - Flex Metallic Conduit 	144			4	1	EC4T-144HPE	\$253
	132			4	1	EC4T-132HPE	\$242
	120			4	1	EC4T-120HPE	\$234
	108			4	1	EC4T-108HPE	\$227
	96			3	1	EC4T-96HPE	\$213
	84			3	1	EC4T-84HPE	\$202
	72			3	1	EC4T-72HPE	\$193

- single or double circuit infeed
- 4 wire 2 circuit system
- 13 duplexes available per each circuit


Description	D	W	H	CTN WT	CU FT	① Model	List Price
Conduit Clamp  <ul style="list-style-type: none"> includes screw 				1	1	EC4T-CLAMP	\$15
Duplex Receptacle Kit Circuit 1  <ul style="list-style-type: none"> used in single circuit and multi-circuit applications vertical and horizontal mounting brackets included 				1	1	EC4T-DUP1K	\$140
Duplex Receptacle Kit Circuit 2  <ul style="list-style-type: none"> used in multi-circuit applications vertical and horizontal mounting brackets included 				1	1	EC4T-DUP2K	\$140
Receptacle to Receptacle Connector 				1	1	EC4T-R2R	\$85
H Block Connector Kit  <ul style="list-style-type: none"> accepts one power infeed and connects up to three jumpers mounting bracket included 				1	1	EC4T-4HCON	\$93
Quick Disconnet  <ul style="list-style-type: none"> hardwire connection (4 wire), mounts to wall accommodates single or multi-circuit connects directly to jumper in place of power infeed 	1	2 3/4	4 5/8	1	1	EC4T-4QD	\$185

To Order, Specify:

① Model number

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Perimeter Under-Mount Power - (1) 110 Outlet (1) USB-A&C 						ECPA-0610	\$5,968
						ECPA-0508	\$4,541
						ECPA-0406	\$3,550
						ECPA-0306	\$3,550
						ECPA-0104	\$2,552
						ECPA-0204	\$2,543
						ECPA-0804	\$2,479
						ECPA-0702	\$1,499

- power infeed(s) with three-prong 15A, 120" cord
- jumpers included
- each power unit includes (1) AC 15 amp 120 volt power outlet, (1) 2.4A reversible USB-A charging port & (1) 60 watt USB-C power delivery port
- black finish
- ECPA-0610 includes 10 power units and accommodates 216" and 240" table with 2 power infeeds
- ECPA-0508 includes 8 power units and accommodates 168" and 192" tables
- ECPA-0406 includes 6 power units and accommodates 144" tables
- ECPA-0306 includes 6 power units and accommodates 108", 120", and 132" tables
- ECPA-0104 includes 4 power units and accommodates 72" and 84" tables
- ECPA-0204 includes 4 power units and accommodates 96" tables
- ECPA-0804 includes 4 power units and accommodates square tables
- ECPA-0702 includes 2 power units and accommodates round tables


Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Perimeter Under-Mount Power - 110 Outlets 						ECPP-0610	\$3,709
						ECPP-0508	\$2,746
						ECPP-0406	\$2,219
						ECPP-0306	\$2,219
						ECPP-0104	\$1,684
						ECPP-0204	\$1,674
						ECPP-0804	\$1,590
						ECPP-0702	\$1,087

- power infeed(s) with three-prong 15A, 120" cord
- jumpers included
- each power unit includes (2) AC 15 amp 120 volt power outlets
- black finish
- ECPP-0610 includes 10 duplex power units and accomodates 216" and 240" tables with 2 power infeeds
- ECPP-0508 includes 8 duplex power units and accomodates 168" and 192" tables
- ECPP-0406 includes 6 duplex power units and accomodates 192" tables
- ECPP-0306 includes 6 duplex power units and accomodates 108", 120", and 132" tables
- ECPP-0104 includes 4 duplex power units and accomodates 72" and 84" tables
- ECPP-0204 includes 4 duplex power units and accomodates 96" tables
- ECPP-0804 includes 4 duplex power units and accomodates square tables
- ECPP-0702 includes 2 duplex power units and accomodates round tables

To Order, Specify:

❶ Model number


Standard Power and Data Locations for Casegoods:



- Specify - Location when ordering on desk, return, computer corner, bridge and credenza - please provide drawing.
- Computer corner units - power/data replaces grommet.
- Standard power and data unit locations are indicated from user side of desk, return, computer corner bridge or credenza.

NOTE: Verify fit of data jack in adapter before ordering large quantities as manufacturer designs may change without notice

Standard Power and Data Locations for Tables and Conference Units:




- Verify fit of jack in adapter before ordering large quantities as manufacturer designs may change without notice.
- Installation of Power and Data units on a seam of multi piece tops should be avoided when possible.
- Specify location when ordering conference tops or buffet credenza.
- Standard power and data units are indicated from the side of conference tops and user side of buffet credenza.

Data Adapter Applications

Data adapter kits ship with each power and data unit.

Adapter plates are marked on the back with letter designators to indicate the data jack manufacturer, series and style. Websites are listed below for quick reference to verify data jack series or style.




Included with EC9, EC10,
EC13, EC15, TCP110 and CC9CNE1-0708.








NOTE: Verify fit of data jack in adapter before ordering large quantities as manufacturer designs may change without notice.






Adapter	Manufacturer	Website
AA	Uniprise/Systimax/Avaya	www.uniprisesolutions.com
BB	Tyco SL and 100 Connect Series Modular Jacks	www.ampconnect.com
BB	Siemon Keystone Style	www.siemon.com
BB	Allen Tel Versa Tap Series	www.allentel.com
BB	Leviton Quick Port® Series	www.leviton.com
BB	Nordx Keystone Style	www.nordx.com
CC	Tyco SL Coupler Series	www.ampconnect.com
CC	Krone 6000 Series	www.adc.com
CC	Hubbell Xcelerator™ Keystone Series	www.hubbell.com
DD	Blank (no coupler/jack)	
EE	Ortronics TracJack Series	www.ortronics.com
FF	Panduit Mini-Com Series	www.panduit.com
GG	Microphone jack/3-pin XLR, solder type only	
HH	Video Monitor jack/DB-15, panel mount solder style	

The TCP110 Type 1 Data plate comes with the adapter kit to allow installation of data jacks listed above. The TCP110 can be installed in the EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57.



Type 1 Telecom Plates/Jacks



Description	D	W	H	CTN WT	CU FT	① Model	List Price
Data Plate - Blank Cap  <ul style="list-style-type: none"> for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57 		1 ¾	3 ⅛			TCP101	\$18
Data Plate - Three Cord Bushings  <ul style="list-style-type: none"> for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57 		1 ¾	3 ⅛			TCP102	\$83
Data Plate - Two Jacks  <ul style="list-style-type: none"> one RJ11 Cat3 Jack one RJ-45 Cat6 Jack for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57 		1 ¾	3 ⅛			TCP103	\$147
Data Plate - One Jack  <ul style="list-style-type: none"> one RJ-45 Cat6 jack for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57 		1 ¾	3 ⅛			TCP104	\$104
Data Plate - Two Jacks  <ul style="list-style-type: none"> two RJ-45 Cat6 jacks for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57 		1 ¾	3 ⅛			TCP105	\$175
Data Plate - Three Jacks  <ul style="list-style-type: none"> three RJ-45 Cat6 jacks for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57 		1 ¾	3 ⅛			TCP106	\$246
Data Plate - HDMI  <ul style="list-style-type: none"> one HDMI female to female with 36" cord for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57 		1 ¾	3 ⅛			TCP107	\$232








Description	D	W	H	CTN WT	CU FT	① Model	List Price
Data Plate - VGA and Mini-Stereo  <ul style="list-style-type: none"> · one VGA female to female with 72" cord · one Mini-Stereo Inline · for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57 		1 ¾	3 ⅛			TCP108	\$225
Data Plate - VGA, HDMI and Mini-Stereo  <ul style="list-style-type: none"> · one VGA female to female with 72" cord · one HDMI female to female with 36" cord · one Mini-Stereo Inline · for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57 		1 ¾	3 ⅛			TCP109	\$388
Data Plate - Two Open Data Ports  <ul style="list-style-type: none"> · used with two Type 3 Telecom Jacks; see page GP19 · for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57 		1 ¾	3 ⅛			TCP110	\$18
Data Plate - USB 3.0  <ul style="list-style-type: none"> · one USB 3.0 Type A/A with 36" patch cord with male end · for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57 · data transfer port · can become powered USB charging port with addition of TCP111-POW power supply 		1 ¾	3 ⅛			TCP111	\$255
USB Charging - Power Supply  <ul style="list-style-type: none"> · USB power supply · for use with TCP111 · converts TCP111 into USB charging port · power source under table or from building required to power unit 						TCP111-POW	\$111

To Order, Specify:

① Model number

Type 2 Telecom Jacks


Description	D	W	H	CTN WT	CU FT	① Model	List Price
Phone Jack 						TCP201	\$73
<ul style="list-style-type: none">· RJ-11 phone jack· for use in EC7							
Data Jack 						TCP202	\$96
<ul style="list-style-type: none">· CAT6-RJ45 data jack· for use in EC7							

Description	D	W	H	CTN WT	CU FT	① Model	List Price
HDMI Connector 						TCP301	\$119
<ul style="list-style-type: none"> • HDMI coupler • 18" cord • female to female connection • for use in EC9, EC10, EC13, EC15 • uses data adapter kit CCC adapter plate 							
Mini Stereo Jack 						TCP302	\$61
<ul style="list-style-type: none"> • 3.5 mm Mini Stereo Jack • 10 foot cord • female to male connection • for use in EC9, EC10, EC13, EC15 • installs directly into unit without need of data adapter kit 							
Network Jack 						TCP303	\$110
<ul style="list-style-type: none"> • one RJ45 CAT6 coupler female to female connection with 10' cord • uses data adapter kit FFF adapter plate • black • for use in EC9, EC10, EC13, EC15 							
Voice Coupler 						TCP304	\$45
<ul style="list-style-type: none"> • AMP Category 3, RJ-11 • 6-Pin • connects to standard phone cord • for use in EC9, EC10, EC13, EC15 • uses data adapter kit CCC adapter plate 							
Data Jack - VGA 15 Pin 						TCP305	\$147
<ul style="list-style-type: none"> • 120" M/F cable - female-to-male connection • 15 pin connections • provides electronic device to remove display connection • uses data adapter kit HHH adapter plate 							
Dual Powered USB Charging 						TCP306	\$188
<ul style="list-style-type: none"> • two (2) USB-A connections for USB powered devices or charging mobile electronics • 2000mA (2 amp) charging power per USB port • black or white option • for use in EC9, EC10, EC13, EC15 • installs directly into unit without need of data adapter kit • 72" cord 							
Data Jack - USB 3.0 						TCP307	\$102
<ul style="list-style-type: none"> • USB 3.0 data jack with 10' cord and male plug • for use in EC9, EC10, EC13, EC15 • data transfer port - no USB charging capability • data transfer speed up to 5gbs/sec • uses data adapter kit CCC adapter plate 							

To Order, Specify:


① Model number

Description	D	W	H	CTN WT	CU FT	① Model	List Price
48" w Tasklight	4 ½	48	1 ½	6	1	48T5L	\$376




- use with overhead cabinets 60" wide and larger
- uses slim energy-efficient T5 - 3500k lamp (included)
- two position on - off switch
- prismatic lens with electronic ballast
- ETL listed component
- factory installation optional (no additional charge); please specify unit where light is to be installed

24" w Tasklight	4 ½	24	1 ½	4	1	24T5L	\$349
------------------------	-----	----	-----	---	---	--------------	-------



- use with overhead cabinets 30" wide and larger
- uses slim energy-efficient T5 - 3500k lamp (included)
- two position on - off switch
- prismatic lens with electronic ballast
- ETL listed component
- factory installation optional (no additional charge); please specify unit where light is to be installed


LED Tasklight	½	60	¾	3	1	TL60LEDF	\$362
	½	45	¾	3	1	TL45LEDF	\$311
	½	39	¾	3	1	TL39LEDF	\$276
	½	27	¾	3	1	TL27LEDF	\$241








- low profile LED tasklight
- 4000K cool white
- touch on/off switch
- touch and hold dimming
- 13ft cord
- recommended tasklight length for each cabinet size; see chart below

LED Tasklights

Tasklights are available for overhead cabinets. Specify separately. Grommet holes for wire management are 5/8" diameter for the LED tasklight. Refer to the chart to the right for the recommended tasklight length according to overhead cabinet width.








Overhead Width	Tasklight Model Number	Tasklight Length
96"	TL60LEDF	60"
90"	TL60LEDF	60"
84"	TL45LEDF	45"
78"	TL45LEDF	45"
72"	TL45LEDF	45"
66"	TL45LEDF	45"
60"	TL39LEDF	39"
54"	TL27LEDF	27"
48"	TL27LEDF	27"
42"	TL27LEDF	27"
36"	TL27LEDF	27"
30"	TL27LEDF	27"

Description	D	W	H	CTN WT	CU FT	① Model	List Price
31" w LED Starter Tasklight  <ul style="list-style-type: none"> • use with overhead cabinets 42" wide and larger • slim energy-efficient stand alone or starter LED lamp • soft touch switching with instant on to fade way off • infinite dimming with last state memory (dimming range 100% to 15%) • automatic time off after 10 hours • includes power supply • ETL listed component • GSA compliant • factory installation optional (no additional charge); please specify unit where light is to be installed 	2	31	½	4	1	TL31LED-S	\$563
31" w LED Linking Adder Tasklight  <ul style="list-style-type: none"> • use with overhead cabinets 42" wide and larger • slim energy-efficient LED lamp for linking to a starter tasklight • string may contain 1 starter with up to five adders • soft touch switching with instant on to fade way off • infinite dimming with last state memory (dimming range 100% to 15%) • automatic time off after 10 hours • ETL listed component • GSA compliant • factory installation optional (no additional charge); please specify unit where light is to be installed 	2	31	½	4	1	TL31LED-A	\$440
17" w LED Starter Tasklight  <ul style="list-style-type: none"> • use with overhead cabinets 30" wide and larger • slim energy-efficient stand alone or starter LED lamp • soft touch switching with instant on to fade way off • infinite dimming with last state memory (dimming range 100% to 15%) • automatic time off after 10 hours • includes power supply • ETL listed component • GSA compliant • factory installation optional (no additional charge); please specify unit where light is to be installed 	2	17	½	2	1	TL17LED-S	\$435
17" w LED Linking Adder Tasklight  <ul style="list-style-type: none"> • use with overhead cabinets 30" wide and larger • slim energy-efficient LED lamp for linking to a starter tasklight • string may contain 1 starter with up to five adders • soft touch switching with instant on to fade way off • infinite dimming with last state memory (dimming range 100% to 15%) • automatic time off after 10 hours • ETL listed component • GSA compliant • factory installation optional (no additional charge); please specify unit where light is to be installed 	2	17	½	2	1	TL17LED-A	\$375
Motion Sensor for Tasklights  <ul style="list-style-type: none"> • occupancy sensor for LED tasklights • integrates with TL31LED or TL17LED • shuts off after 30 minutes of inactivity • connects to end of light fixture (adds 3" to length of fixture) • one sensor controls starter and connected adders 	2	3	½	1	1	TL03-OCPS	\$481


To Order, Specify:

① Model number

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Articulating Keyboard Tray  <ul style="list-style-type: none"> • articulating keyboard tray - black color • mouse tray included • 16" glide track • easy one-handed adjustment; vertical range of motion of 5.1" below glide track • tray tilt range +10 degree to -20 degree • unit swivels side-to-side • tray size is 19.4" wide x 9.4" deep • tray includes palm rest • tray is made with recyclable high density polyethylene 	13	24	7	14	2	AK2	\$558
Articulating Keyboard Tray  <ul style="list-style-type: none"> • articulating keyboard tray - black color • mouse tray included • 17" glide track • easy one-handed adjustment; vertical range of motion of 8.9"; (6.5" below the glide track and an additional 2.38" above) • tray tilt range +10 degree to -20 degree • unit swivels side-to-side • tray size is 19.4" wide x 9.4" deep • tray includes palm rest • tray is made with recyclable high density polyethylene 	13	24	7	12	2	AK3	\$590
Articulating Keyboard Tray  <ul style="list-style-type: none"> • trackless articulating keyboard tray - black color • mouse tray included • use when depth under work surface for mounting is limited; minimum of 9.38" depth recommended • easy one-handed adjustment; vertical range of motion of 5.73 • tray tilt range +10 degree to -15 degree • unit swivels side-to-side • tray size is 19.4" wide x 9.4" deep • tray includes palm rest • tray is made with recyclable high density polyethylene 	11	23	3	11	2	AK5	\$575
Articulating Keyboard Tray  <ul style="list-style-type: none"> • articulating keyboard tray - wood finish tray with black mechanism • recommended for spaces with 24" clearance side to side • mouse tray purchased separately - specify MT4 • 17" glide track • easy one-handed adjustment; vertical range of motion of 8.9"; (6.5" below the glide track and an additional 2.38" above) • tray tilt range +10 degree to -20 degree • unit swivels side-to-side • tray size is 21.75" wide x 11" deep • wood tray requires finish selection; see component finishes for the selection 	14	23	7	15	2	AK4	\$622
Keyboard Tray Mouse Pad  <ul style="list-style-type: none"> • adjusts for user comfort • 8" x 8" • for left or right hand operation • compatible with AK4 Keyboard Drawer only 	8	8	1/4	2		MT4	\$210

Description	D	W	H	CTN WT	CU FT	① Model	List Price
-------------	---	---	---	-----------	----------	---------	------------

Wide Pencil Drawer	19 1/4	22	1 7/8	5	1	GP2219CD	\$135
--------------------	--------	----	-------	---	---	----------	-------




- plastic

Pencil Drawer	19 1/4	16 1/8	2 3/8	4	1	GP1619CD	\$124
---------------	--------	--------	-------	---	---	----------	-------



- plastic

Center Nook Drawer	8 1/4	15 1/4	2	2	1	GP1509CD	\$119
--------------------	-------	--------	---	---	---	----------	-------



- plastic

Angled Front Center Drawer	17 5/8	24 1/2	2 1/2	20	1	GP9CDRC-1524	\$439
----------------------------	--------	--------	-------	----	---	--------------	-------



- not available on table desk with apron
- not available in makore or double cut
- wood drawer
- non-locking

To Order, Specify:

① Model number

Conference


Flat Screen Mount - Universal Bracket (standard with TV, DTV and FSTV model)




Peerless® ST650 universal tilting flat screen mount is supplied with the FSTV Flat Screen Mounting Frame.

- For use with 32"-50" screens
- Maximum weight 175 lbs. (79kg)
- Tilt 15° forward and -5° backward angles
- Mounting pattern allows up to 6" of vertical adjustment

NOTE: To verify TV interface to universal bracket

1. Access website - www.peerlessmounts.com
2. Locate "Mount Finder™" on home page side navigation bar
3. Enter make and/or model of your flat screen
4. Verify model: ST650 is listed as available model



Description	D	W	H	CTN WT	CU FT	① Model	List Price
Monitor Arm - Edge Mount  <ul style="list-style-type: none"> · mounts to edge of worksurface · silver or black 				9	1	GP5901MA	\$738
Dual Monitor Arm - Edge Mount  <ul style="list-style-type: none"> · mounts to edge of worksurface · supports two monitors · silver or black 				18	2	GP5902MA	\$1,329
Monitor Arm  <ul style="list-style-type: none"> · mounts through hole in worksurface · field drilled and field installed · supports up to 12 lbs and/or 27" monitor · silver or black 				9	1	GP5905MA	\$823

To Order, Specify:

① Model number