


Accessories, Power and Data



Accessories - Overview

Power Accessories

Pages [GP3-GP10](#)



Power and Data Tilt Out



15" Power and Data Unit




Dual Sided Power and Data Unit




Single Sided Power and Data Unit

Telecom Jacks


Pages [GP16-GP19](#)




HDMI Connector




Mini Stereo Jack




Network Jack




Voice Coupler



Data Jack



Dual Powered Charging USB



3.0 USB Connector

Wire Management Accessories

Page [GP11](#)



Vertical Wire Manager



Wire Management Channel




Wire Management Trough



Wire Management Channel



Cable Management Clip




Velcro Straps

Tasklights

Pages [GP20-GP21](#)



Tasklights




LED Tasklights




Motion Sensor for Tasklights

Keyboard Accessories


Pages [GP22-GP23](#)




Articulating Keyboard Tray



Articulating Keyboard Tray



Articulating Keyboard Tray



Articulating Keyboard Tray



Keyboard Tray Mouse Pad

Monitor Support Arm

Page [GP24-GP25](#)



For Use with Desk and Conference Tables

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Mini Power and Data Tilt Up	4 1/4	5 1/2		6	1	EC10	\$423



- fluid one touch tilt up access
- one power receptacle - 120 volt; 15 amp and one opening for voice/data port
- data adapter kit provided to accept jacks from most port manufacturers (see page [GP15](#))
- accepts one Type 3 Telecom Jack (see page [GP19](#))
- 72" power cord with molded plug
- drop in field installation required
- cut out provided in top at specified location (see page [GP14](#))
- UL listed component
- Black or Silver finish

Mini Power Tilt Up	4 1/4	5 1/2		6	1	EC11	\$439
--------------------	-------	-------	--	---	---	------	-------



- fluid one touch tilt up access
- two power receptacles - 120 volt; 15 amp
- 72" power cord with molded plug
- drop in field installation required
- cut out provided in top at specified location (see page [GP14](#))
- UL listed component
- Black or Silver finish

Mini Power and USB Tilt Up	4 1/4	5 1/2		6	1	EC12	\$473
----------------------------	-------	-------	--	---	---	------	-------



- fluid one touch tilt up access
- one power receptacle - 120 volt; one 20-watt USB-C+A
- 72" power cord with molded plug
- drop in field installation required
- cut out provided in top at specified location (see page [GP14](#))
- UL listed component
- Black or Silver finish


To Order, Specify:

① Model number


Power and Data

For Use with Conference Tables

Description	D	W	H	CTN WT	CU FT	Model	List Price
Power and Data Tilt Out	30	9		7	6	EC4	\$3,910






closed






open

- 30" power and data unit
- retractable doors
- standard in silver pearl powder coat
- brush aluminum doors available; specify and add \$1,499 list
- door design allows cords/cables to exit while doors are in closed position
- seven power receptacles
- one dual powered USB
- accepts up to six (6) Type 1 Telecom Plates; additional plate configurations sold separately, see [see page GP15](#)
- unit ships standard with six (6) TCP101, three (3) TCP110 Telecom Plates and three (3) data adapter kits
- power inserts are UL or ETL listed
- two 108" power cords with molded plugs
- cannot be positioned over table support base


Description	D	W	H	CTN WT	CU FT	① Model	List Price	
15" Power and Data Unit	15	9		4	2	EC5	\$2,300	
	closed		<ul style="list-style-type: none"> • retractable doors • available in silver pearl powder coat • brush aluminum doors available; specify and add \$965 list • door design allows cords/cables to exit while doors are in closed position • three power receptacles • one dual powered USB 					
	open		<ul style="list-style-type: none"> • accepts up to three (3) Type 1 Telecom Plates; additional plate configurations sold separately, see page GP15 • unit ships standard with three (3) TCP101, two (2) TCP110 Telecom Plates and two (2) data adapter kits • power inserts are UL or ETL listed • 108" power cord with molded plug 					
Dual Sided Power and Data Unit	11 1/2	14 3/4		7	2	EC6	\$1,599	
	closed		<ul style="list-style-type: none"> • door design allows cords/cables to exit while doors are in closed position • eight power receptacles, four per side • accepts up to eight (8) Type 1 Telecom Plates; additional plate configurations sold separately, see page GP15 • unit ships standard with four (4) TCP101, four (4) TCP110 Telecom Plates and two (2) data adapter kits • lids lift to open and contain an access slot to allow cords to exit while in use • available in silver pearl and black texture powder coat • units are UL listed and CSA certified • 108" power cord with molded plug 					
	open							
Single Sided Power and Data Unit	5 3/8	9		4	1	EC7	\$622	
			<ul style="list-style-type: none"> • two power receptacles • accepts one (1) Type 1 Telecom Plates; additional plate configurations sold separately, see page GP15 • unit ships standard with one (1) TCP101, one (1) TCP110 Telecom Plate and one (1) data adapter kit • additionally accepts up to (4) Type 2 Telecom Jacks • lid lifts to open and contain an access slot to allow cords to exit while in use • available in silver pearl or black textured powder coat finish • units are UL listed and CSA certified • 108" power cord with molded plug • one under surface power receptacle 					

To Order, Specify:

① Model number


Description	D	W	H	CTN WT	CU FT	Model	List Price
Single Sided Power and Data Unit	8 3/8	4		3	1	EC9	\$563
							
two power receptacles - 120 volt, 15 amp and two openings for voice/data jacks							
data adapter kit provided to accept jacks from most port manufacturers (see page GP15)							
accepts up to two Type 3 Telecom Jacks (see page GP19)							
push to open pop up door							
clear anodized aluminum							
72" power cord with molded plug							
UL listed							
Dual Power and Data Tilt Up	8	8 3/8		16	1	EC13	\$1,117
							
fluid one touch tilt up access							
back to back tilt sections							
four power receptacles (2 per side) - 120 volt; 15 amp with four openings for voice/data jacks (2 per side)							
data adapter kit provided to accept jacks from most port manufacturers							
accepts up to four Type 3 Telecom Jacks (see page GP19)							
two 72" power cord with molded plug							
drop in field installation required							
cut out provided in top at specified location (see page GP14)							
UL listed component							
available in Silver (S)							
Edge Mount Electrical	3	10		16	1	EC15	\$525
							
clamp mounts to the edge of the worksurface - requiring minimum 2" surface overhang							
three power receptacles - 120 volt; 15 amp with two voice/data ports							
data adapter kit provided to accept jacks from most port manufacturers							
accepts up to two Type 3 Telecom Jacks (see page GP19)							
72" power cord with molded plug - exits back of unit							
UL listed component							
clear anodized aluminum							

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Moire Power Unit	3 3/8	3 3/8	2	5	1	EC23	\$532




- three power 110 outlets
- one 20-watt USB-C+A
- 72" 3-prong - 15amp plug power feed
- 15amp/110 volt
- mounts in 3" dia. hole
- specify Black (BK) or White (WH)

Node Power Unit	3 3/8	3 3/8	3/8	5	1	EC24	\$425
-----------------	-------	-------	-----	---	---	------	-------



- one power
- one 20-watt USB-C+A, 72" cord
- mounts in 3" dia. hole
- specify Black (BK) or White (WH)




Ellora Power Unit	5 1/2	8 1/2	3 1/2	5	1	EC25	\$814
-------------------	-------	-------	-------	---	---	------	-------






- used in Media Table or Media Credenza
- two power, one 20-watt USB-C+A & one opening for voice/data port, 72" power cord
- adapter kit provided to accept jacks for most port manufacturers
- accepts one Type 3 telecom jack
- wire pass-through
- anodized aluminum

To Order, Specify:

① Model number




Description	D	W	H	CTN WT	CU FT	Model	List Price
Worksurface Power	2 5/8	6 3/8	3	3	1	EC26	\$501
							
Under Surface Power	3	6 1/2	1 13/16	2	1	EC27	\$432
							
Edge Mount Power	3 1/2	5 1/2	7 1/2	3	1	EC28	\$442
							

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Power Center - Under Mount	2 3/4	4	2 5/16			EC30	\$401
							
	<ul style="list-style-type: none"> one (1) AC 15 amp 120 volt power outlets one (1) 2.4A reversible USB-A charging port & one (1) 60-watt USB-C power delivery port 10' cord frame mounted overall mounting bracket tabs: 5" w UL Listed specify black or white - cord color will match unit optional graphite fabric cord available, specify and add \$175 list 						
Wireless Charging Unit	3 1/2	3 1/2	1	3	1	EC33	\$373
							
	<ul style="list-style-type: none"> wireless charging for use with Qi enabled devices 72" power cord black UL Listed CE/FCC certified 						
Under Surface Convenience Power Unit	3 1/8	7 1/8	2 1/8	3	1	EC34	\$326
							
	<ul style="list-style-type: none"> three outlets 108" power cord black ETL Listed for US 						

To Order, Specify:

① Model number

Description	D	W	H	CTN WT	CU FT	Model	List Price
2"dia. Grommet	2	2	7/8			GP02FIG	\$38
	 <ul style="list-style-type: none"> use in panels 3/4" thick or greater plastic sleeve and removable lid matte black (MBK) interior 1 1/2" dia. recommended 1 3/4" dia. cut out for installation in field 						
3"dia. Grommet	3	3	3/4			GP03FIG	\$38
	 <ul style="list-style-type: none"> use in panels 3/4" thick or greater plastic sleeve and removable lid matte black (MBK) interior 2 1/4" dia. recommended 2 15/16" dia. cut out for installation in field 						
Power Strip	1 1/2	1 7/8	8			GP9ACP1-0212	\$103
	 <ul style="list-style-type: none"> includes switch power surge with 10' cord four electrical outlets 						
Wire Management Trays	7 1/2	45				GP9WMT1-0845	\$300
	7 1/2	35				GP9WMT1-0835	\$253
	7 1/2	25				GP9WMT1-0825	\$205
	 <ul style="list-style-type: none"> silver powder-coated finish four hanging brackets (CI2C00) 						


Description	D	W	H	CTN WT	CU FT	① Model	List Price
Vertical Wire Manager	1 1/2	1 1/2	45	4	1	45VWM	\$146
						<ul style="list-style-type: none"> • flexible, vertebrae-style construction • field installed to bottom of worksurface with screws provided • length can be adjusted by removing individual discs as required • wire manager is 1 1/2" diameter • weighted base is 4" diameter • black plastic 	
Wire Management Channel	1/2	36	1	4		36WC	\$89
	1/2	24	1	3		24WC	\$80
	1/2	12	1	2		12WC	\$70
						<ul style="list-style-type: none"> • available in 12", 24" and 36" increments • field installed with adhesive tape provided • black 	
Wire Management Trough	2 1/2	36	2 1/2	3		36WCT	\$169
	2 1/2	24	2 1/2	3		24WCT	\$154
	2 1/2	12	2 1/2	2		12WCT	\$132
						<ul style="list-style-type: none"> • available in 12", 24" and 36" increments • field installed with screws provided • black 	
Wire Management Trough	1 1/8	36	2 3/8	1		36WJC	\$73
	1 1/8	24	2 3/8	1		24WJC	\$53
	1 1/8	12	2 3/8	1		12WJC	\$29
						<ul style="list-style-type: none"> • available in 12", 24" and 36" increments • field installed with adhesive tape provided • mounts to edge of surface top • black 	
Cable Management Clip	2 5/8	3 3/4	1 5/8	1		0304CMC	\$61
						<ul style="list-style-type: none"> • four retention loops • field installed with screws provided • mounts under surface • black 	
Wire Management Velcro Straps	1 3/4	3 1/2	1/8	1		04WVS	\$63
						<ul style="list-style-type: none"> • set of four • field installed with adhesive tape provided • mounts under surface or on vertical panels • black 	

To Order, Specify:

① Model number


Description	D	W	H	CTN WT	CU FT	Model	List Price
Jumper		144		4	1	EC4T-144JK	\$280
		138		4	1	EC4T-138JK	\$272
		132		4	1	EC4T-132JK	\$265
		126		4	1	EC4T-126JK	\$261
		120		4	1	EC4T-120JK	\$255
		114		4	1	EC4T-114JK	\$251
		108		4	1	EC4T-108JK	\$248
		102		4	1	EC4T-102JK	\$239
		96		3	1	EC4T-96JK	\$234
		90		3	1	EC4T-90JK	\$228
		84		3	1	EC4T-84JK	\$222
		78		3	1	EC4T-78JK	\$215
		72		3	1	EC4T-72JK	\$211
		66		3	1	EC4T-66JK	\$201
		60		3	1	EC4T-60JK	\$190
		54		3	1	EC4T-54JK	\$184
		48		2	1	EC4T-48JK	\$177
		42		2	1	EC4T-42JK	\$167
		36		2	1	EC4T-36JK	\$163
		30		2	1	EC4T-30JK	\$157
		24		2	1	EC4T-24JK	\$153
		18		2	1	EC4T-18JK	\$152

Three Prong Power Infeed - Flex	120	4	1	EC4T-120APE	\$422
Metallic Conduit	108	4	1	EC4T-108APE	\$412
	96	3	1	EC4T-96APE	\$400
	84	3	1	EC4T-84APE	\$397
	72	3	1	EC4T-72APE	\$337
	60	3	1	EC4T-60APE	\$287
	48	2	1	EC4T-48APE	\$280








- single circuit infeed
- two foot rubber cord transitions to metal conduit

Hardwire Power Infeed - Flex	144	4	1	EC4T-144HPE	\$261
Metallic Conduit	132	4	1	EC4T-132HPE	\$250
	120	4	1	EC4T-120HPE	\$242
	108	4	1	EC4T-108HPE	\$234
	96	3	1	EC4T-96HPE	\$220
	84	3	1	EC4T-84HPE	\$209
	72	3	1	EC4T-72HPE	\$199




- single or double circuit infeed
- 4 wire 2 circuit system
- 13 duplexes available per each circuit

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Conduit Clamp				1	1	EC4T-CLAMP	\$16
							
• includes screw							
Duplex Receptacle Kit Circuit 1				1	1	EC4T-DUP1K	\$145
							
• used in single circuit and multi-circuit applications							
• vertical and horizontal mounting brackets included							
Duplex Receptacle Kit Circuit 2				1	1	EC4T-DUP2K	\$145
							
• used in multi-circuit applications							
• vertical and horizontal mounting brackets included							
Receptacle to Receptacle Connector				1	1	EC4T-R2R	\$88
							
H Block Connector Kit				1	1	EC4T-4HCON	\$96
							
• accepts one power infeed and connects up to three jumpers							
• mounting bracket included							
Quick Disconnect	1	2 3/4	4 5/8	1	1	EC4T-4QD	\$191
							
• hardwire connection (4 wire), mounts to wall							
• accommodates single or multi-circuit							
• connects directly to jumper in place of power infeed							

To Order, Specify:

① Model number


Standard Power and Data Locations for Casegoods:




- Specify - Location when ordering on desk, return, computer corner, bridge and credenza - please provide drawing.
- Computer corner units - power/data replaces grommet.
- Standard power and data unit locations are indicated from user side of desk, return, computer corner bridge or credenza.

NOTE: Verify fit of data jack in adapter before ordering large quantities as manufacturer designs may change without notice

Standard Power and Data Locations for Tables and Conference Units:




One Piece Table Top




Round Top



Buffet Credenza



Two Piece Table Top




Three Piece Table Top

- Verify fit of jack in adapter before ordering large quantities as manufacturer designs may change without notice.
- Installation of Power and Data units on a seam of multi piece tops should be avoided when possible.
- Specify location when ordering conference tops or buffet credenza.
- Standard power and data units are indicated from the side of conference tops and user side of buffet credenza.

Data Adapter Applications

Data adapter kits ship with each power and data unit.

Adapter plates are marked on the back with letter designators to indicate the data jack manufacturer, series and style. Websites are listed below for quick reference to verify data jack series or style.




Included with EC9, EC10, EC13, EC15, TCP110 and CC9CNE1-0708.





NOTE: Verify fit of data jack in adapter before ordering large quantities as manufacturer designs may change without notice.

Adapter	Manufacturer	Website
AA	Uniprise/Systimax/Avaya	www.uniprisesolutions.com
BB	Tyco SL and 100 Connect Series Modular Jacks	www.ampconnect.com
BB	Siemon Keystone Style	www.siemon.com
BB	Allen Tel Versa Tap Series	www.allentel.com
BB	Leviton Quick Port® Series	www.leviton.com
BB	Nordx Keystone Style	www.nordx.com
CC	Tyco SL Coupler Series	www.ampconnect.com
CC	Krone 6000 Series	www.adc.com
CC	Hubbell Xcelerator™ Keystone Series	www.hubbell.com
DD	Blank (no coupler/jack)	
EE	Ortronics TracJack Series	www.ortronics.com
FF	Panduit Mini-Com Series	www.panduit.com
GG	Microphone jack/3-pin XLR, solder type only	
HH	Video Monitor jack/DB-15, panel mount solder style	

The TCP110 Type 1 Data plate comes with the adapter kit to allow installation of data jacks listed above. The TCP110 can be installed in the EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57.












Description	D	W	H	CTN WT	CU FT	Model	List Price
Data Plate - Blank Cap		1 3/4	3 1/8			TCP101	\$19
· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57							
Data Plate - Three Cord Bushings		1 3/4	3 1/8			TCP102	\$86
· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57							
Data Plate - Two Jacks		1 3/4	3 1/8			TCP103	\$152
· one RJ11 Cat3 Jack							
· one RJ-45 Cat6 Jack							
· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57							
Data Plate - One Jack		1 3/4	3 1/8			TCP104	\$108
· one RJ-45 Cat6 jack							
· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57							
Data Plate - Two Jacks		1 3/4	3 1/8			TCP105	\$181
· two RJ-45 Cat6 jacks							
· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57							
Data Plate - Three Jacks		1 3/4	3 1/8			TCP106	\$254
· three RJ-45 Cat6 jacks							
· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57							
Data Plate - HDMI		1 3/4	3 1/8			TCP107	\$239
· one HDMI female to female with 36" cord							
· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57							

Description	D	W	H	CTN WT	CU FT	Model	List Price
Data Plate - VGA and Mini-Stereo		1 3/4	3 1/8			TCP108	\$232
							
• one VGA female to female with 72" cord							
• one Mini-Stereo Inline							
• for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57							
Data Plate - VGA, HDMI and Mini-Stereo		1 3/4	3 1/8			TCP109	\$400
							
• one VGA female to female with 72" cord							
• one HDMI female to female with 36" cord							
• one Mini-Stereo Inline							
• for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57							
Data Plate - Two Open Data Ports		1 3/4	3 1/8			TCP110	\$19
							
• used with two Type 3 Telecom Jacks; see page GP19							
• for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57							
Data Plate - USB 3.0		1 3/4	3 1/8			TCP111	\$263
							
• one USB 3.0 Type A/A with 36" patch cord with male end							
• for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57							
• data transfer port							
• can become powered USB charging port with addition of TCP111-POW power supply							
USB Charging - Power Supply						TCP111-POW	\$115
							
• USB power supply							
• for use with TCP111							
• converts TCP111 into USB charging port							
• power source under table or from building required to power unit							

To Order, Specify:

① Model number

Description	D	W	H	CTN WT	CU FT	Model	List Price
Phone Jack						TCP201	\$76
						<ul style="list-style-type: none">• RJ-11 phone jack• for use in EC7	
Data Jack						TCP202	\$99
						<ul style="list-style-type: none">• CAT6-RJ45 data jack• for use in EC7	

Description	D	W	H	CTN WT	CU FT	Model	List Price
HDMI Connector						TCP301	\$123
 <ul style="list-style-type: none"> HDMI coupler 18" cord female to female connection for use in EC9, EC10, EC13, EC15 uses data adapter kit CCC adapter plate 							
Mini Stereo Jack						TCP302	\$63
 <ul style="list-style-type: none"> 3.5 mm Mini Stereo Jack 10' cord female to male connection for use in EC9, EC10, EC13, EC15 installs directly into unit without need of data adapter kit 							
Network Jack						TCP303	\$114
 <ul style="list-style-type: none"> one RJ45 CAT6 coupler female to female connection with 10' cord uses data adapter kit FFF adapter plate black for use in EC9, EC10, EC13, EC15 							
Voice Coupler						TCP304	\$47
 <ul style="list-style-type: none"> AMP Category 3, RJ-11 6-Pin connects to standard phone cord for use in EC9, EC10, EC13, EC15 uses data adapter kit CCC adapter plate 							
Data Jack - VGA 15 Pin						TCP305	\$152
 <ul style="list-style-type: none"> 120" M/F cable - female-to-male connection 15 pin connections provides electronic device to remove display connection uses data adapter kit HHH adapter plate 							
Dual Powered USB Charging						TCP306	\$194
 <ul style="list-style-type: none"> two (2) USB-A connections for USB powered devices or charging mobile electronics 2000mA (2 amp) charging power per USB port black or white option for use in EC9, EC10, EC13, EC15 installs directly into unit without need of data adapter kit 72" cord 							
Data Jack - USB 3.0						TCP307	\$106
 <ul style="list-style-type: none"> USB 3.0 data jack with 10' cord and male plug for use in EC9, EC10, EC13, EC15 data transfer port - no USB charging capability data transfer speed up to 5gbs/sec uses data adapter kit CCC adapter plate 							


To Order, Specify:

① Model number


Description	D	W	H	CTN WT	CU FT	Model	List Price
48" w Tasklight	4 ½	48	1 ½	6	1	48T5L	\$388
	<ul style="list-style-type: none"> use with overhead cabinets 60" wide and larger uses slim energy-efficient T5 - 3500k lamp (included) two position on - off switch prismatic lens with electronic ballast ETL listed component factory installation optional (no additional charge); please specify unit where light is to be installed 						
24" w Tasklight	4 ½	24	1 ½	4	1	24T5L	\$360
	<ul style="list-style-type: none"> use with overhead cabinets 30" wide and larger uses slim energy-efficient T5 - 3500k lamp (included) two position on - off switch prismatic lens with electronic ballast ETL listed component factory installation optional (no additional charge); please specify unit where light is to be installed 						
LED Tasklight	½	60	¾	3	1	TL60LEDF	\$373
	<ul style="list-style-type: none"> low profile LED tasklight 4000K cool white touch on/off switch touch and hold dimming 13ft cord recommended tasklight length for each cabinet size; see chart below 						
	½	45	¾	3	1	TL45LEDF	\$321
	½	39	¾	3	1	TL39LEDF	\$285
	½	27	¾	3	1	TL27LEDF	\$249

LED Tasklights

Tasklights are available for overhead cabinets. Specify separately. Grommet holes for wire management are $\frac{5}{8}$ " diameter for the LED tasklight. Refer to the chart to the right for the recommended tasklight length according to overhead cabinet width.







Overhead Width	Tasklight Model Number	Tasklight Length
96"	TL60LEDF	60"
90"	TL60LEDF	60"
84"	TL45LEDF	45"
78"	TL45LEDF	45"
72"	TL45LEDF	45"
66"	TL45LEDF	45"
60"	TL39LEDF	39"
54"	TL27LEDF	27"
48"	TL27LEDF	27"
42"	TL27LEDF	27"
36"	TL27LEDF	27"
30"	TL27LEDF	27"

Description	D	W	H	CTN WT	CU FT	① Model	List Price
31" w LED Starter Tasklight	2	31	½	4	1	TL31LED-S	\$580
							
• use with overhead cabinets 42" wide and larger • slim energy-efficient stand alone or starter LED lamp • soft touch switching with instant on to fade way off • infinite dimming with last state memory (dimming range 100% to 15%) • automatic time off after 10 hours • includes power supply • ETL listed component • GSA compliant • factory installation optional (no additional charge); please specify unit where light is to be installed							
31" w LED Linking Adder Tasklight	2	31	½	4	1	TL31LED-A	\$454
							
• use with overhead cabinets 42" wide and larger • slim energy-efficient LED lamp for linking to a starter tasklight • string may contain 1 starter with up to five adders • soft touch switching with instant on to fade way off • infinite dimming with last state memory (dimming range 100% to 15%) • automatic time off after 10 hours • ETL listed component • GSA compliant • factory installation optional (no additional charge); please specify unit where light is to be installed							
17" w LED Starter Tasklight	2	17	½	2	1	TL17LED-S	\$449
							
• use with overhead cabinets 30" wide and larger • slim energy-efficient stand alone or starter LED lamp • soft touch switching with instant on to fade way off • infinite dimming with last state memory (dimming range 100% to 15%) • automatic time off after 10 hours • includes power supply • ETL listed component • GSA compliant • factory installation optional (no additional charge); please specify unit where light is to be installed							
17" w LED Linking Adder Tasklight	2	17	½	2	1	TL17LED-A	\$387
							
• use with overhead cabinets 30" wide and larger • slim energy-efficient LED lamp for linking to a starter tasklight • string may contain 1 starter with up to five adders • soft touch switching with instant on to fade way off • infinite dimming with last state memory (dimming range 100% to 15%) • automatic time off after 10 hours • ETL listed component • GSA compliant • factory installation optional (no additional charge); please specify unit where light is to be installed							
Motion Sensor for Tasklights	2	3	½	1	1	TL03-OCPS	\$496
							
• occupancy sensor for LED tasklights • integrates with TL31LED or TL17LED • shuts off after 30 minutes of inactivity • connects to end of light fixture (adds 3" to length of fixture) • one sensor controls starter and connected adders							

To Order, Specify:

① Model number

Description	D	W	H	CTN WT	CU FT	Model	List Price
Articulating Keyboard Tray	13	24	7	14	2	AK2	\$575
							
	<ul style="list-style-type: none"> · articulating keyboard tray - black color · mouse tray included · 16" glide track · easy one-handed adjustment; vertical range of motion of 5.1" below glide track · tray tilt range +10 degree to -20 degree · unit swivels side-to-side · tray size is 19.4" wide x 9.4" deep · tray includes palm rest · tray is made with recyclable high density polyethylene 						
Articulating Keyboard Tray	13	24	7	12	2	AK3	\$608
							
	<ul style="list-style-type: none"> · articulating keyboard tray - black color · mouse tray included · 17" glide track · easy one-handed adjustment; vertical range of motion of 8.9"; (6.5" below the glide track and an additional 2.38" above) · tray tilt range +10 degree to -20 degree · unit swivels side-to-side · tray size is 19.4" wide x 9.4" deep · tray includes palm rest · tray is made with recyclable high density polyethylene 						
Articulating Keyboard Tray	11	23	3	11	2	AK5	\$593
							
	<ul style="list-style-type: none"> · trackless articulating keyboard tray - black color · mouse tray included · use when depth under work surface for mounting is limited; minimum of 9.38" depth recommended · easy one-handed adjustment; vertical range of motion of 5.73 · tray tilt range +10 degree to -15 degree · unit swivels side-to-side · tray size is 19.4" wide x 9.4" deep · tray includes palm rest · tray is made with recyclable high density polyethylene 						
Articulating Keyboard Tray	14	23	7	15	2	AK4	\$641
							
	<ul style="list-style-type: none"> · articulating keyboard tray - wood finish tray with black mechanism · recommended for spaces with 24" clearance side to side · mouse tray purchased separately - specify MT4 · 17" glide track · easy one-handed adjustment; vertical range of motion of 8.9"; (6.5" below the glide track and an additional 2.38" above) · tray tilt range +10 degree to -20 degree · unit swivels side-to-side · tray size is 21.75" wide x 11" deep · wood tray requires finish selection; see component finishes for the selection 						
Keyboard Tray Mouse Pad	8	8	1/4	2		MT4	\$217
							
	<ul style="list-style-type: none"> · adjusts for user comfort · 8" x 8" · for left or right hand operation · compatible with AK4 Keyboard Drawer only 						

Description	D	W	H	CTN WT	CU FT	Model	List Price
Wide Pencil Drawer	19 1/4	22	1 7/8	5	1	GP2219CD	\$140
			· plastic				
							
Pencil Drawer	19 1/4	16 1/8	2 3/8	4	1	GP1619CD	\$128
			· plastic				
							
Center Nook Drawer	8 1/4	15 1/4	2	2	1	GP1509CD	\$123
			· plastic				
							
Angled Front Center Drawer	17 5/8	24 1/2	2 1/2	20	1	GP9CDRC-1524	\$453
			· wood drawer				
			· non-locking				
			· not available in artisan				
							

To Order, Specify:

① Model number

Conference


Flat Screen Mount - Universal Bracket (standard with TV, DTV and FSTV model)




Peerless® ST650 universal tilting flat screen mount is supplied with the FSTV Flat Screen Mounting Frame.

- For use with 32"-50" screens
- Maximum weight 175 lbs. (79kg)
- Tilt 15° forward and -5° backward angles
- Mounting pattern allows up to 6" of vertical adjustment

NOTE: To verify TV interface to universal bracket

1. Access website - www.peerlessmounts.com
2. Locate "Mount Finder™" on home page side navigation bar
3. Enter make and/or model of your flat screen
4. Verify model: ST650 is listed as available model



Description	D	W	H	CTN WT	CU FT	① Model	List Price
Monitor Arm - Edge Mount				9	1	GP5901MA	\$761
						<ul style="list-style-type: none"> • mounts to edge of worksurface • silver or black 	
Dual Monitor Arm - Edge Mount				18	2	GP5902MA	\$1,369
						<ul style="list-style-type: none"> • mounts to edge of worksurface • supports two monitors • silver or black 	
Monitor Arm				9	1	GP5905MA	\$848
						<ul style="list-style-type: none"> • mounts through hole in worksurface • field drilled and field installed • supports up to 12 lbs and/or 27" monitor • silver or black 	

To Order, Specify:

① Model number