BeSPACE Order Check List:



Spe	cify:
	Model Number
□ 2	. Wood Species - Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
□ 3	. Finish Option - CLK (Clear on Rift Cut White Oak) or CLW (Clear on Flat Cut Walnut)
□ 4	. Door or Drawer Front Optional Paint Color (see below for paint color options); add \$49 list per item
□ 5	. Metal Leg Color - See Below
□ 6	s. Fabric Selection
	A. Seat - Vendor, Pattern and Color
	B. Back - Vendor, Pattern and Color
	C. Deck or Deck and Arm (s) - Vendor, Pattern and Color
□ 7	. Glass Color - Clear (GTC01) or Smoke (GTC04)
□ 8	s. Optional Power Center - Flush Mount (EC22) - Black (B) or White (W); add \$638 list each
	. Optional Black Grommet; add \$116 list each

Example:

BS2	WA1	CLW	SNK	MOMENTUM	INSIGHT	FOSSIL
(model #)	(wood species)	(finish)	(metal leg color)	(fabric vendor)	(pattern name)	(pattern color)

1. Model Number

2.Wood Species - Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)

3. Wood Finish Options:

CLK Clear on Rift Cut White Oak
CLW Clear on Flat Cut Walnut

4. Door or Drawer Front Optional Paint Color -

Add \$49 list per item

BKD	Backdrop	NWH	Nonchalant White
BFX	Black Fox	SVP	Silverplate
BWH	Bright White	SKS	Skyline Steel
CHT	Chatroom	STM	Storm
GAL	Gale Force	TRC	Tricorn Black
GRV	Greek Villa	UKH	Universal Khaki

5. Metal Leg Color:

ABZ	Aged Bronze**	SBZ	Soft Bronze**
GLD	Gold**	SNK	Soft Nickel**
MBK	Matte Black	STS	Stardust Silver
PEW	Pewter**		

** Add \$165 list per item for select metal finishes

6. Fabric Selection - Please supply the following: Fabric vendor/Pattern name/Pattern color

For a complete list of JSI Standard and Graded-In Textiles click here

Contrasting Upholstery - Units can be specified with a contrasting upholstery feature. When this feature is desired the unit **will be priced based on the higher grade fabric selected** for the seat, back, deck or deck and arm(s).


When specifying contrasting upholstery, indicate clearly the upholstery to be applied to the seat, back, deck or deck and arm(s).



All COM orders must include the following:

- · Fabric vendor's name, pattern name and color
- · Sample of the fabric attached to order
- · Model numbers of items for fabric application
- Special application instructions (e.g., all stripes will be applied front to back unless specified otherwise)
- · Customer and purchase order number

Ship prepaid COM material to: JSI Attn: COM Department 201 East Martin Street Receiving B, Dock 71 Orleans, IN 47452 Application of fabric: Railroaded Up the Roll



7. Glass Color:

GTC01 Clear

GTC04 Smoke

- Optional Power Center (EC22) add \$638 list, specify color and location
- 9. Optional Black Grommet add \$116 list each



Seating

Wood Materials

Exterior surfaces are laminated veneers either in plain sliced walnut or rift cut white oak.

Seating exterior components are made up of layers of hardwood veneer molded to shape and RF cured. Outer veneers are matched for a uniform grain pattern. Exterior plywood is % " thick.

Interior seating frame and support components are made from $\frac{3}{4}$ " interior grade plywood.

Metal Materials

Exterior feet and leg frames are fabricated from 14 guage steel tubing and welded to pre-set standards.

Construction

Seating interior frames are constructed with upholstery grade plywood with precisely cut interlocking joints. All joints are glued and reinforced with staples. Critical joints are fastened with screws to reinforce the joint. Frame components are assembled using t-nuts for metal to metal connection.

Upholstery Details

Seating suspension for modular units has a 3 $\frac{1}{2}$ " high-resilience seat foam placed onto sheet webbing for comfort and durability. Back and arm foam is a high density foam for comfort and durability.

Freestanding upholstered units have 6" thick high-resilience seat foam for durability. The bottom of the seat plywood is ventilated to allow the seat foam to breathe. Back and arm foam is a high density foam for comfort and durability.

Single needle top stitch is used on all BeSPACE models.

Exterior Metal Components

Leg frame is welded to pre-set standards and then the outer surfaces are prepared for powder coating. Leg frame and glide will be same color.

Powder coat finishes available:

ABZ	Aged Bronze**	SBZ	Soft Bronze**
GLD	Gold**	SNK	Soft Nickel**
MBK	Matte Black	STS	Stardust Silver

PEW Pewter**

Legs with adjustable glides are mounted with internal connections which are embedded into the plywood exterior. The angular cut matches up with the plywood exterior for a floating appearance.



Special Features

Model BS-1 Lounge Chair with the swivel mechanism and four prong base with non-adjustable push-in glides features a 360° swivel. The standard 3.5° rearward tilt is welded in to the spindle of the mechanism plate, the spindle sits into a passive hub of the prong base. The four prong base offers the same metal finishes as the leg frames



Finish

To accentuate the beauty of the walnut or white oak veneers a clear finish coat is applied to the exposed plywood shells and platforms.

Exterior Seating Plywood Shell and Platforms are available in two finishes:

Clear Coat on Walnut CLW
Clear Coat on Rift Cut White Oak CLK

To reduce hazardous formaldehyde emission we use our proprietary specially design top coat, DuraTex™. We are proud that our finish is GreenGuard certified.

DuraTex™, offers exceptional hardness along with abrasion and impact resistance, but has been formulated to eliminate hazardous and harmful gases that are normally associated with wood finish.

DuraTex™ Features

Safety - Significantly reduces hazardous formaldehyde emissions which help improve the quality of the of the indoor air we breathe.

Quality - Developed to be tough and durable with special attention to appearance. The DuraTex™ finish provides a safe solution and still preserves the natural beauty of wood.

Durability - Designed to meet a wide range of demanding performance and environmental standards to withstand even the highest wear and tear.

Care and Maintenance

Care of Upholstery Surfaces

Cleanability will vary based on the fabric type. For best results, a professional service is recommended. Dirt and crumbs may be gently brushed or vacuumed off. Spills should be wiped up immediately with a cloth. Vinyl textiles can be cleaned with warm soapy water and wiped down with a warm damp cloth. For more details on any JSI carded fabric and vinyl, please visit our website at www.jsifurniture.com or consult the back of the appropriate swatch card for cleaning codes and any specific instructions. For COM materials, consult with the individual textile manufacturer for cleaning codes and any specific instructions pertaining to your particular fabric.

Maintenance of Mechanical Parts

Clean any lint or debris from the moving parts of the base mechanisms. Mechanisms have been designed and tested to not require lubrication under normal conditions however lubricant can be used if needed.

Metal Components

Wipe smooth powder coat finishes and textured metals with a damp cloth. For stubborn stains and grease marks, use soap and water. Lightly brush textured metals with a soft, dry brush to remove dirt.

^{**} Select metal finishes - Add \$165 list per item

回JSI

Casegoods

Wood Materials

Exterior surfaces are laminated veneers either in plain sliced walnut or rift cut white oak.

Casegood tops are made up of layers of hardwood veneers molded to shape and RF cured. Outer veneers are matched for uniform grain patterns. All casegood tops are $^{3}/_{4}$ " thick plywood.

Casegood chassis, doors and drawer fronts consist of veneer over composite wood core; all wood core components are 3/4 " thick.

Metal Materials


Exterior feet are fabricated using 14 guage steel tubing and 14 guage flat stock.

Construction

Casegoods are constructed with a series of glued wood dowels and metal-to -wood fastening hardware to reinforce critical joints.

Feet are field installed to prevent shipping damage, pre-bored holes make installation easy. Instructions, feet, and other hardware will be packed inside the carton.

Drawer boxes are constructed from plywood components with dovetail joinery, providing superior tensile strength to the box. Under-mount drawer suspensions are "full extension" which allows the drawers to open fully. The "soft-close" mechanism allows the drawers to close with a slight push. Drawer and door fronts feature a finger pull and are non-locking. Drawers in the BeSPACE product line are not intended for filing.



Casegood Feet

Feet are fabricated with a flat plate which is screwed to the bottom of the casegoods. The feet have an adjustable glide for ease of leveling.

Powder coat finishes available:





** Select metal finishes - Add \$165 list per item

Glide matches powder coat finish selected on feet.

Credenza units have wire pass through incorporated into the interior dividers and bottom panels to allow for wiring to pass easily through the unit. A metal stress-bar runs the full length on the bottom side of the credenzas providing additional support.

back view





Finish

To accentuate the beauty of the walnut or white oak veneer a clear finish coat is applied to the chassis of the BeSPACE products. Drawer and door fronts can be matched with the same clear coat finish on the veneer or may be specified with a painted finish.

Chassis and Drawer or Door Fronts Clear Coat on Rift Cut White Oak - CLW Clear Coat on Walnut - CLK

Drawer/Door Fronts (optional Paint on Maple Veneer) - Add **\$49** list per item

Backdrop	BKD	Nonchalant White	NWH
Black Fox	BFX	Silverplate	SVP
Bright White	BWH	Skyline Steel	SKS
Chatroom	CHT	Storm	STM
Gale Force	GAL	Tricorn Black	TRC
Greek Villa	GRV	Universal Khaki	UKH

To reduce hazardous formaldehyde emission we use our proprietary specially designed top coat, $DuraTex^{TM}$. We are proud that our finish is GreenGuard certified.

DuraTex™ offers exceptional hardness along with abrasion and impact resistance, but has been formulated to eliminate hazardous and harmful gases that are normally associated with wood finish.

DuraTex™ Features

Safety - Significantly reduces hazardous formaldehyde emissions which help improve the quality of the of the indoor air we breathe.

Quality - Developed to be tough and durable with special attention to appearance. The DuraTex $^{\text{TM}}$ finish provides a safe solution and still preserves the natural beauty of wood.

Durability - Designed to meet a wide range of demanding performance and environmental standards to withstand even the highest wear and tear.



Glass Tables


Glass Tops are $^{1/2}$ " thick tempered and are available in Clear (low iron) or Smoke. Pliable polyurethane bumpers, along with the weight of the top, keeps the glass in place.

Clear GTC01 Smoke GTC04

Optional Data/Electrical Components EC22 Power Center- Flush Mount

EC22 unit provides electric for two 110 devices and one USB 2-Port Simplex for charging. This factory installed unit is mounted in the front or back panel(s) of modular closed tables. When ordering specify color and location, see below. Power is connected to the building supply with 10' standard three prong cord. Access and storage of excess power cord is provided in the cavity of the tables.





Note: Power Center color, Black (B) or White (W) must be specified.


EC21 Power Center - Under Mount


This accessory item features one 110 device and one USB 2-Port Simplex for charging. The EC21 unit is ordered separately and can be mounted on the bottom platform of casegoods and lounge seating, see "Power Center Under Mount".



Credenza with Optional Cushions


Bench Height and Transitional Height credenza units can be ordered with an optional factory installed cushion. (Select appropriate fabric grade when pricing the unit). Cushion should not be removed due to permanent attachment.






How to determine Left and Right

Left and right is determined by facing the unit; the transitional height unit determines the left or right orientation.




Bookcase Back Heights

Bookcases are available in two heights, 48 and 68 inches tall. When ordering, please specify one of the three back height options; Full Back, Mid Back or Low Back.




Bookcase Shelving


All bookcase shelves are offered straight as standard. The lowest shelf is always fixed and straight. Upper shelves are adjustable and available with optional bent plywood. The bent plywood shelves are reversible, they can slope in either direction. When ordering bookcases with bent plywood shelves, please specify and add \$847 for one shelf, and \$1,690 for two shelves, to list price.




Modular Tables and Modular Lounge - Connecting

1. To create turns with in a product run, connect 120° units with other 120° units or 90° (square end) units with other 90° (square end) units to create turns.








Note: 120 $^{\circ}$ and 90 $^{\circ}$ (square end) units cannot be connected to one another


For a flat tailored surface corner units will have a seam on the linking side.









3. When using textiles with a pattern or large repeats we recommend specifying the corner units with "C" at the end of the model number. Note there will be a diagonal seam allowing for a textile match. If the upholstery cover is non-directional the diagonal seam will be eliminate






 Modular tables are shipped with connecting hardware to secure units together. The draw catch style hardware makes connection easy.
 Pre-bore holes are standard.



5. Modular lounge units are shipped with two sets of connecting hardware to secure them together. The draw catch style hardware makes connection easy. Pre-bore holes are standard.




P ISI


Upholstery Application

Unless the customer specifies the fabric to be "railroaded", the fabric will be "cut up the roll". Additional seaming may be needed pending fabric width and textile repeat match, contact Customer Service with questions.

"Nap" or "Up the Roll" (standard)





Railroaded (upon request)





Contrasting Upholstery

Units can be specified with a contrasting upholstery feature. When this feature is desired the unit **will be priced based on the highest grade fabric**. At the time of ordering identify the location of each textile according to the following code.










- A = Seat
- B = Front Back/Extreme Back
- C = Deck or Deck and Arm (s)


How to Determine Left and Rights

Left and right is determined as you are seated in the chair.




BS2424DCT Table

This corner table is designed to create a 90° (square end) turn with two modular components as shown in the example below. The "A" or "B" back panels are identified to help specify the location of the EC22 power data unit. When ordering an EC22 specify "A" and/or "B" location. The two back panels are slightly recessed. The grain runs diagonal on the table top.



BS2424SCT Table

This table is designed to create a straight run of modular components as shown in the example below. The EC22 can be installed in the front or back panel. The front and back panel are slight recessed. The grain on this top runs side to side.



Model	Description	Seat Only COM Ydg	Back Only COM Ydg	Deck and Arm(s) Only COM Ydg	Deck Only COM Ydg
BS1	Lounge Chair	1.25	1	1.5	0
3S1-S	Swivel Lounge Chair	1.25	1	1.5	0
BS140	Upholstered Pod	0.75	0	0	0.75
BS140W	Upholstered Table	0.75	0	0	0.75
BS2	Sette Lounge	2.5	2	1.5	0
BS230	Ottoman	1	0	0	0
BS240	24" Straight Bench	1.25	0	0	0.5
BS240-122	120° Connecting Bench	2	0	0	0.5
BS240C	24" Corner Bench	1.25	0	0	0.5
BS242-122	120° Connecting Bench with Back	2	2	0	0.5
BS242C	Corner Bench with Back, Center	0.75	2	0	0.5
BS242L	Corner Bench with Back, Left	0.75	2	0	0.5
BS242R	Corner Bench with Back, Right	0.75	2	0	0.5
BS3	Sofa Lounge	3.75	3	1.5	0
BS480	48" Straight Bench	1.5	0	0	0.5
BS480-120L	48" Angled Bench, Left	1.5	0	0	0.5
BS480-120R	48" Angled Bench, Right	1.5	0	0	0.5
BS480-120K	48" Dual Angled Bench	1.5	0	0	0.5
BS481L	48" Partial Back Bench, Left	1.5	1.5	0	0.5
BS481R	48" Partial Back Bench, Right	1.5	1.5	0	0.5
BS482	48" Straight Bench with Back	1.5	1.5	0	0.5
35482 35482-120L	48" Angled Bench with Back, Left	1.5	1.5	0	0.5
BS482-120R	48" Angled Bench with Back, Right	1.5	1.5	0	0.5
BS482-120R BS482-122	48" Dual Angled Bench with Back	1.5	1.5	0	0.5
BS500		1.5	0	1,25	0.5
BS500-120L	50" Open Side Bench	1.5	0	1.25	
	50" Angled Open Side Bench, Left				0
BS500-120R	50" Angled Open Side Bench, Right	1.5	0	1.25	0
BS501L	50" Chaise Bench with Partial Back, Left	1.5	1.75	1.25	0
BS501R	50" Chaise Bench with Partial Back, Right	1.5	1.75	1.25	0
BS502-120L	50" Angled Open Side Bench with Back, Left	1.5	1.75	1.25	0
BS502-120R	50" Angled Open Side Bench with Back, Right	1.5	1.75	1.25	0
BS502L	50" Open Side Bench with Back, Left	1.5	1.75	1.25	0
BS502R	50" Open Side Bench with Back, Right	1.5	1.75	1.25	0
BS720	72" Straight Bench	3	0	0	0.75
BS720-120L	72" Angled Bench, Left	3	0	0	0.75
BS720-120R	72" Angled Bench, Right	3	0	0	0.75
BS720-122	72" Dual Angled Bench	3	0	0	0.75
BS721L	72" Partial Back Bench, Left	3	2.25	0	0.75
BS721R	72" Partial Back Bench, Right	3	2.25	0	0.75
BS722	72" Straight Bench with Back	3	3	0	0.75
BS722-120L	72" Angled Bench with Back, Left	3	3	0	0.75
BS722-120R	72" Angled Bench with Back, Right	3	3	0	0.75
BS722-122	72" Dual Angled Bench with Back	3	3	0	0.75
BS740	74" Open Side Bench	3	0	1.5	0
BS740-120L	74" Angled Open Side Bench, Left	3	0	1.5	0
BS740-120R	74" Angled Open Side Bench, Right	3	0	1.5	0
BS741L	74" Chaise Bench with Partial Back, Left	3	2.25	1.5	0
3S741R	74" Chaise Bench with Partial Back, Right	3	2.25	1.5	0
BS742-120L	74" Angled Open Side Bench with Back, Left	2.75	3.5	1.5	0
BS742-120R	74" Angled Open Side Bench with Back, Right	2.75	3.5	1.5	0
BS742L	74" Open Side Bench with Back, Left	2.75	3.5	1.5	0
BS742R	74" Open Side Bench with Back, Right	2.75	3.5	1.5	0
BS750	Freestanding Bench	2.75	0	0	1

BeSPACE – Compartment - Drawer Sizes

All sizes are rounded down to the nearest ¼" - sizes for drawers are interior dimensions of drawer boxes.

Unless noted sizes listed are dimensions for the interior compartments – compartment shelves are fixed, shelves are non-adjustable.

	Models	A	В	С	D	E	F
A	BS24240CT	9 H 22 W 22 ¹ / ₄ D					
A A A	BS24480CT	9 H 22 ³ /4 W 22 ³ /8 D					
A A A A	BS1854-16S0S	7 H 17 W 15 ¹ / ₂ D					
A A A A A A A A A A A A A A A A A A A	BS1872-16S0S	7 H 17 W 15 ¹ / ₂ D					
A A B	BS1854-16SDWR BS1854-16SDWL	4 ¹ / ₄ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior	7 H 17 W 15 ¹ / ₂ D				
A A B B	BS1872-16SDWR BS1872-16SDWL	4 ¹ / ₄ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior	7 H 17 W 15 ¹ / ₂ D				
AAAA	BS1872-16SFS	4 ¹ / ₄ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior					
A B	BS1854-20S0SR BS1854-20S0SL	13 ¹ / ₄ H 34 ³ / ₄ W 15 ¹ / ₂ D	13 ¹ / ₄ H 17 W 15 ¹ / ₂ D				
A A B B	BS1872-20S0S	5 ¹ / ₂ H 34 ³ / ₄ W 15 ¹ / ₂ D	7 H 34 ³ / ₄ W 15 ¹ / ₂ D				
A B	BS1854-20SDWR BS1854-20SDWL	8 ¹ / ₂ H 33 W 10 ³ / ₄ D Drawer Interior	13 ¹ / ₄ H 17 W 15 ¹ / ₂ D				
A B C	BS1872-20SDWR BS1872-20SDWL	8 ¹ / ₂ H 33 W 10 ³ / ₄ D Drawer Interior	5 ¹ / ₂ H 34 ³ / ₄ W 15 ¹ / ₂ D	7 H 34 ³ / ₄ W 15 ¹ / ₂ D			
A A I	BS1872-20SFS	8 ¹ / ₂ H 33 W 10 ³ / ₄ D Drawer Interior					
A C B D	BS1854-27S0SR BS1854-27S0SL	5 ¹ / ₂ H 34 ³ / ₄ W 15 ¹ / ₂ D	13 ¹ / ₄ H 34 ³ / ₄ W 15 ¹ / ₂ D	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	13 ¹ / ₄ H 17 W 15 ¹ / ₂ D		



BeSPACE - Compartment - Drawer Sizes (continued)

DESPACE - Comparti	l	1		1		_	F
	Models	Α	В	С	D	E	F
A C A B D B	BS1872-27S0S	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	13 ¹ / ₄ H 17 W 15 ¹ / ₂ D	5 ¹ / ₂ H 34 ³ / ₄ W 15 ¹ / ₂ D	13 ¹ / ₄ H 34 ³ / ₄ W 15 ¹ / ₂ D		
A C B D	BS1854-27SDWR BS1854-27SDWL	5 ¹ / ₂ H 34 ³ / ₄ W 15 ¹ / ₂ D	8 ¹ / ₂ H 33 W 10 ³ / ₄ D Drawer Interior	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	13 ¹ / ₄ H 17 W 15 ¹ / ₂ D		
A C	BS1854-27SFSR BS1854-27SFSL	5 ¹ / ₂ H 34 ³ / ₄ W 15 ¹ / ₂ D	10 ³ / ₄ D Drawer Interior	5 ½ H lop Section 13 ½ H Bottom Section 17 W 14 ¾ D Hinge Door			
A C E	BS1872-27SSR BS1872-27SSL	5 ½ H 17 W 15 ½ D	13 ¹ / ₄ H 17 W 15 ¹ / ₂ D	5 ¹ / ₂ H 34 ³ / ₄ W 15 ¹ / ₂ D	8 ½ H 33 W 10 ¾ D Drawer Interior	5 ½ H Top Section 13 ¼ H Bottom Section 17 W 14 ¾ D Hinge Door	
A C A	BS1872-27SFS	5 ¹ / ₂ H Top Section 13 ¹ / ₄ H Bottom Section 17 W 14 ³ / ₄ D Hinge Door	5 ¹ / ₂ H 34 ³ / ₄ W 15 ¹ / ₂ D	8 ¹ / ₂ H 33 W 10 ³ / ₄ D Drawer Interior			
A D B E C F	BS1854-33S0SR BS1854-33S0SL	5 ¹ / ₂ H 34 ³ / ₄ W 15 ¹ / ₂ D	5 ¹ / ₂ H 34 ³ / ₄ W 15 ¹ / ₂ D	13 ¹ / ₄ H 34 ³ / ₄ W 15 ¹ / ₂ D	5 ¹ /4 H 17 W 15 ¹ / ₂ D	5 ½ H 17 W 15 ½ D	13 ¹ /4 H 17 W 15 ¹ / ₂ D
A D A B E B C F C	BS1872-33S0S	5 ¹ / ₄ H 17 W 15 ¹ / ₂ D	5 ½ H 17 W 15 ½ D	13 ¹ / ₂ H 17 W 15 ¹ / ₂ D	5 ¹ / ₄ H 34 ³ / ₄ W 15 ¹ / ₂ D	5 ¹ / ₂ H 34 ³ / ₄ W 15 ¹ / ₂ D	13 ¹ / ₂ H 34 ³ / ₄ W 15 ¹ / ₂ D
A B D	BS1854-33SFSR BS1854-33SFSL	5 ¹ / ₄ H 34 ³ / ₄ W 15 ¹ / ₂ D	5 ¹ / ₂ H 34 ³ / ₄ W 15 ¹ / ₂ D	8 ¹ / ₂ H 33 W 10 ³ / ₄ D Drawer ^N Interior	5 ¹ / ₄ H Top Section 5 ¹ / ₂ H Aiddle Section 13 ¹ / ₄ H ottom Section 17 W 14 ³ / ₄ D Hinge Door		
A D G G C F	BS1872-33SSR BS1872-33SSL	5 ¹ / ₄ H 17 W 15 ¹ / ₂ D	5 ½ H 17 W 15 ½ D	13 ¹ / ₄ H 17 W 15 ¹ / ₂ D	5 ¹ / ₄ H 34 ³ / ₄ W 15 ¹ / ₂ D	5 ¹ / ₂ H 34 ³ / ₄ W 15 ¹ / ₂ D	8 ½ H 33 W 10 ³/4 D Drawer Interior G 5 ½ H Top Section 5 ½ H Middle Section 13 ¼ H Bottom Section 17 W
							14 ³ / ₄ D Hinge Door

BeSPACE - Compartment - Drawer Sizes (continued)

Best ACE - Comparti	Models	A	В	С	D	E	F
A C A D	BS1872-33SFS	5 ¹ / ₄ H Top Section 5 ¹ / ₂ H Middle Section 13 ¹ / ₄ H Bottom Section 17 W 14 ³ / ₄ D Hinge Door	5 ¹ / ₄ H 34 ³ / ₄ W 15 ¹ / ₂ D	5 ¹ / ₂ H 34 ³ / ₄ W 15 ¹ / ₂ D	8 ¹ / ₂ H 33 W 10 ³ / ₄ D Drawer Interior		
A B C	BS1854-20TOSR BS1854-20TOSL	7 H 17 W 15 ¹ / ₂ D	7 H $^{13}_{^{1/4}}$ H Transition 17 W $^{15}_{^{1/2}}$ D	13 ¹ / ₄ H 17 W 15 ¹ / ₂ D			
A A B D	BS1872-20TOSR BS1872-20TOSL	7 H 17 W 15 ¹ / ₂ D	7 H 13 ¹ / ₄ H Transition 17 W 15 ¹ / ₂ D	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	7 H 17 W 15 ¹ / ₂ D		
A A B C	BS1872-20TSR BS1872-20TSL	7 H 17 W 15 ½ D	4 ¹ / ₄ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior	8 ¹ / ₂ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior			
A B C	BS1854-20TFSR BS1854-20TFSL	4 ¹ / ₄ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior	4 ¹ / ₄ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior	8 ¹ / ₂ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior			
A A B C	BS1872-20TFSR BS1872-20TFSL	4 ¹ / ₄ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior	4 ¹ / ₄ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior	8 ¹ / ₂ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior			
A B C	BS1854-20TDSR BS1854-20TDSL	4 ¹ / ₄ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior	4 ¹ / ₄ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior	13 ¹ / ₄ H 17 W 14 ³ / ₄ D Hinge Door			
A C E B B B B	BS1854-27TOSR BS1854-27TOSL	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	7 H 17 W 15 ¹ / ₂ D	5 ¹ / ₂ H 12 H Transition 17 W 15 ¹ / ₂ D	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	
A C E E E B B B B	BS1872-27TOSR BS1872-27TOSL	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	7 H 17 W 15 ½ D	5 ¹ / ₂ H 12 H Transition 17 W 15 ¹ / ₂ D	5 ½ H 17 W 15 ½ D	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	
A C D	BS1854-27THDR BS1854-27THDL	5 ½ H 17 W 15 ½ D	7 H 17 W 15 ¹ / ₂ D	15 ½ H 12 H Transition 17 W 15 ½ D	5 ½ H Top Section 5 ½ H Middle Section 7 H Bottom Section 17 W 14 ¾ D Hinge Door		



BeSPACE - Compartment - Drawer Sizes (continued)

Desi AGE Comparti	Models	A	В	С	D	E	F
A C D D	BS1872-27TSR BS1872-27TSL	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	7 H 17 W 15 ¹ / ₂ D	5 ¹ / ₂ H 12 H Transition 17 W 15 ¹ / ₂ D	5 ½ H Top Section 5 ½ H Middle Section 7 H Bottom Section 17 W 14 ¾ D Hinge Door		
A B C	BS1854-27TFSR BS1854-27TFSL	8 ¹ / ₂ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior	8 ¹ / ₂ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior	5 ½ H Top Section 5 ½ H Middle Section 7 H Bottom Section 17 W 14 ¾ D Hinge Door			
A B C C	BS1872-27TFSR BS1872-27TFSL	8 ¹ / ₂ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior	8 ¹ / ₂ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior	5 ½ H Top Section 5 ½ H Middle Section 7 H Bottom Section 17 W 14 ¾ D Hinge Door			
A C E B B B	BS1854-33T0SR BS1854-33T0SL	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	13 ¹ / ₂ H 17 W 15 ¹ / ₂ D	$5^{1/2}$ H 11 $^{3/4}$ H Transition 17 W 15 $^{1/2}$ D	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	
A C E E E B B B B	BS1872-33TOSR BS1872-33TOSL	5 ½ H 17 W 15 ½ D	13 ¹ / ₂ H 17 W 15 ¹ / ₂ D	5 ¹ / ₂ H 11 ³ / ₄ H Transition 17 W 15 ¹ / ₂ D	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	
A C D D	BS1872-33TSR BS1872-33TSL	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	13 ¹ / ₂ H 17 W 15 ¹ / ₂ D	5 ¹ / ₂ H 11 ³ / ₄ H Transition 17 W 15 ¹ / ₂ D	5 ½ H Top Section 5 ½ H Middle Section 13 ½ H Bottom Section 17 W 14 ¾ D Hinge Door		
A C D D	BS1854-33TFSR BS1854-33TFSL	5 ¹ / ₂ H 17 W 15 ¹ / ₂ D	8 ¹ / ₂ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior	$5^{1/2}$ H 11 $^{3/4}$ H Transition 17 W 15 $^{1/2}$ D	5 ¹ / ₂ H Top Section 5 ¹ / ₂ H Middle Section 13 ¹ / ₂ H Bottom Section 17 W 14 ³ / ₄ D Hinge Door		
A C D D	BS1872-33TFSR BS1872-33TFSL	5 ½ H 17 W 15 ½ D	8 ¹ / ₂ H 15 ¹ / ₄ W 10 ³ / ₄ D Drawer Interior	5 ¹ / ₂ H 11 ³ / ₄ H Transition 17 W 15 ¹ / ₂ D	5 ½ H Top Section 5 ½ H Middle Section 13 ½ H Bottom Section 17 W 14 ¾ 4 D Hinge Door	_	

Description

Swivel Lounge Chair



Model BS1-S

- · single seat lounge
- · four prong swivel base with self-returing mechanism
- · bent ply shell
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements

Dimensions	D	W	Н
Overall	29 1/2	33 1/4	29 ³ / ₄
Seat	20 1/2	21 ¹ / ₂	17
Arm			22 ³ / ₄
Upholstery		Shipping	
COM Ydg	3 3/4	Ctn Wt	115

Cu Ft

21

75

Specifications

COL Sq Ft

List Price Per Grade

COM	\$3,989
Α	\$4,021
В	\$4,085
COL/C	\$4,196
D	\$4,338
E	\$4,460
F	\$4,672
G	\$4,900
Н	\$5,094
1	\$5,443

L1 \$5,067 L2 \$5,370

J \$5,856

Ottoman



BS230

- · four prong swivel base
- · bent ply shell

Dimensions	D	W	Н
Overall	23	23 1/4	14
Upholstery		Shipping	
COM Ydg	1	Ctn Wt	45
COL Sq Ft	20	Cu Ft	5

COM	\$2,023
Α	\$2,033
В	\$2,049
COL/C	\$2,078
D	\$2,117
E	\$2,149
F	\$2,206
G	\$2,267
н	\$2 319

\$2,319 I \$2,411 J \$2,521 L1 \$2,311 L2 \$2,392

Lounge Chair



BS₁

- · single seat lounge
- · bent ply shell
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements

Dimensions	D	W	Н
Overall	29 1/2	33 1/4	29 3/4
Seat	20 1/2	21 ¹ / ₂	17
Arm			22 3/4
Upholstery		Shipping	
COM Ydg	3 3/4	Ctn Wt	115
COL Sq Ft	75	Cu Ft	21

COM	\$3,989
Α	\$4,021
В	\$4,085
COL/C	\$4,196
D	\$4,338
Ε	\$4,460
F	\$4,672
G	\$4,900
Н	\$5,094
1	\$5,443
J	\$5,856
L1	\$5,067
L2	\$5,370

Settee Lounge



BS2

- · two seat lounge
- · bent ply shell
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements

Dimensions	D	W	Н
Overall	29 1/2	58 ¹ / ₄	29 3/4
Seat	$20\ ^{1}\!/_{2}$	$46^{1/2}$	17
Arm			22 3/4
Upholstery		Shipping	
COM Ydg	6	Ctn Wt	178
COL Sq Ft	120	Cu Ft	36

Α	\$5,603
В	\$5,704
COL/C	\$5,882
D	\$6,110
Ε	\$6,304
F	\$6,644
G	\$7,008
Н	\$7,320
1	\$7,877
J	\$8,538
L1	\$7,275
L2	\$7,761

COM \$5,551



Freestanding

Description Sofa Lounge

Model

- **BS3** three seat lounge
- · bent ply shell
- · COM based on single fabric
- multiple fabrics, see <u>BS9</u> for yardage requirements

Dimensions	D	W	Н
Overall	29 1/2	82 1/4	29 3/4
Seat	20 1/2	70 1/2	17
Arm			22 3/4
Upholstery		Shipping	
COM Ydg	8 1/4	Ctn Wt	244
COL Sq Ft	165	Cu Ft	50


Specifications

List Price Per Grade COM \$6,640

COM	\$6,640
Α	\$6,711
В	\$6,850
COL/C	\$7,094
D	\$7,408
Е	\$7,676
F	\$8,143
G	\$8,644
Н	\$9,072
I	\$9,839
J	\$10.746

L1 \$9,011 L2 \$9,679

Freestanding Bench



BS750

- · bent ply shell
- · COM based on single fabric
- multiple fabrics, see <u>BS9</u> for yardage requirements

Dimensions	D	W	Н
Overall	24	$74^{1/2}$	17
Seat	24	66 ³ / ₄	17
Upholstery		Shipping	
COM Ydg	3 3/4	Ctn Wt	78
COL Sq Ft	75	Cu Ft	22

СОМ	\$3,421
Α	\$3,447
В	\$3,498
COL/C	\$3,586
D	\$3,701
E	\$3,798
F	\$3,968
G	\$4,150
Н	\$4,306
- 1	\$4,585
J	\$4,914

L1 \$4,283 L2 \$4,527

To Order, Specify:


- Model Number
- 2 Wood Species Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
- **3** Wood Finish See Wood Finish Options
- 4 Metal Leg Color See Metal Leg Color Options
- 5 Fabric Selection Vendor, Pattern and Color
 - A. Seat
 - B. Back
 - C. Deck or Deck and Arm(s)

Visit www.jsifurniture.com/finishes-and-materials/textiles for our textiles program. See selection of standard and graded in manufacturers and patterns.

- · Wood species Rift Cut White Oak or Flat Cut Walnut.
- · 5/8" thick exterior plywood.
- · Interior seating frame and support components are made from ³/₄" interior grade plywood.
- Exterior feet and leg frames are fabricated from 14 guage steel tubing.
- · Freestanding units have 6" thick high-resilience seat foam for durability.
- · Freestanding back and arm foam is high density for comfort and durability.
- Ottoman and bench unit have a high-resilience seat foam placed onto sheet webbing for comfort and durability.

Description

24" Straight Bench



Model

- **BS240** · plywood platform
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · links only to other units with a square end, (cannot link to a 120° angled end)

Dimensions	D	W	Н
Overall	24	24	16 ¹ / ₂
Seat	24	24	16 ¹ / ₂
Upholstery		Shipping	
COM Ydg	1 3/4	Ctn Wt	48
COL Sq Ft	35	Cu Ft	6

Specifications

List Price Per Grade COM \$1,458

A \$1,473

B \$1,502 COL/C \$1,554

D \$1,621

E \$1,678

F \$1,777 G \$1,883

H \$1,973

I \$2,137

J \$2,329

L1 \$1,961 L2 \$2,102

24" Corner Bench



BS240C

- · diagonal seam
- · plywood platform
- · linking hardware
- COM based on single fabric
- multiple fabrics, see **BS9** for yardage requirements
- links only to other units with a square end, (cannot link to a 120° angled end)

D	W	Н
24	24	16 ¹ / ₂
24	24	16 ¹ / ₂
	Shipping	
1 3/4	Ctn Wt	48
35	Cu Ft	6
	24 1 ³ / ₄	24 24 24 24 Shipping 1 3/4 Ctn Wt

СОМ	\$1,458
Α	\$1,473
В	\$1,502

COL/C \$1,554 D \$1,621

> E \$1,678 F \$1,777

G \$1,883

H \$1,973 I \$2,137

J \$2,329

L1 \$1,961

L2 \$2,102

48" Straight Bench




BS480

- · plywood platform
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · links only to other units with a square end, (cannot link to a 120° angled end)

Dimensions	D	W	Н
Overall	24	48	16 ¹ / ₂
Seat	24	48	16 ¹ / ₂
Upholstery		Shipping	
-		Gbbg	
COM Ydg	2	Ctn Wt	61

COM	\$2,092
Α	\$2,110
В	\$2,143
COL/C	\$2,202
D	\$2,279
Ε	\$2,344
F	\$2,457
G	\$2,578
Н	\$2,682
I	\$2,868
J	\$3,088
L1	\$2,732
L2	\$2,910

72" Straight Bench



BS720

- · plywood platform
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · links only to other units with a square end, (cannot link to a 120° angled end)

D	W	Н
24	72	$16^{1/2}$
24	72	$16^{1/2}$
	Shipping	
3 3/4	Ctn Wt	86
83	Cu Ft	17
	24 3 ³ / ₄	24 72 24 72 Shipping 3 3/4 Ctn Wt

COM	\$2,798
Α	\$2,830
В	\$2,894
COL/C	\$3,00
D	\$3,148
E	\$3,269
F	\$3,482
G	\$3,709
Н	\$3,90
- 1	\$4,252
J	\$4,66
L1	\$4,000
L2	\$4,341



Description

50" Open Side Bench

Model

- **BS500** · bent ply shell
- · linking hardware · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · links only to other units with a square end, (cannot link to a 120° angled end)

Specifications D **Dimensions**

Overall	24	$49^{3}/_{4}$	24 ³ / ₄
Seat	24	42 3/4	16 ¹ / ₂
Arm			24 ³ / ₄
Upholstery		Shipping	
COM Ydg	2 3/4	Ctn Wt	89

W


Н

Upholstery		Shipping	
COM Ydg	2 3/4	Ctn Wt	89
COL Sq Ft	60 ¹ / ₂	Cu Ft	20

List Price Per Grade COM \$2.973 A \$2,997 B \$3,044 COL/C \$3,125 D \$3,230 E \$3,318 F \$3,474 G \$3,642 H \$3,784 1 \$4,040 J \$4,341

L1 \$3,853 L2 \$4,097

74" Open Side Bench



BS740

- · bent ply shell
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- links only to other units with a square end, (cannot link to a 120° angled end)

Dimensions	D	W	Н
Overall	24	73 ³ / ₄	24 ³ / ₄
Seat	24	66 ³ / ₄	$16^{1/2}$
Arm			24 ³ / ₄
Upholstery		Shipping	
COM Ydg	4 1/2	Ctn Wt	145
COL Sq Ft	99	Cu Ft	31

COM	\$3,697
Α	\$3,735
В	\$3,812
COL/C	\$3,945
D	\$4,116
Ε	\$4,261
F	\$4,517
G	\$4,790
Н	\$5,024
I	\$5,442
J	\$5,937

L1 \$5,136 L2 \$5,536

To Order, Specify:


- Model Number
- 2 Wood Species Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
- 3 Wood Finish See Wood Finish Options
- 4 Metal Leg Color See Metal Leg Color Options
- 5 Fabric Selection Vendor, Pattern and Color
 - A. Seat
 - B. Back
 - C. Deck or Deck and Arm(s)

Visit www.jsifurniture.com/finishes-and-materials/textiles for our textiles program. See selection of standard and graded in manufacturers and patterns.

- · Wood species Rift Cut White Oak or Flat Cut Walnut.
- · 5/8" thick exterior plywood.
- · Interior seating frame and support components are made from 3/4" interior grade plywood.
- · Exterior feet and leg frames are fabricated from 14 guage steel tubing.
- Modular seating units have a 3 1/2" high-resilience seat foam placed onto sheet webbing for comfort and durability.
- Modular back and arm foam is high density for comfort and durability.

Description

48" Partial Back Bench



Model BS481R BS481L

- · plywood platform
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · links only to other units with a square end, (cannot link to a 120° angled end)


Dimensions	D	W	Н
Overall	24	48	28 1/2
Seat	17	48	$16^{1/2}$
Upholstery		Shipping	
COM Ydg	3 1/2	Ctn Wt	92
COL Sq Ft	77	Cu Ft	18

Specifications

COM	\$2,668
Α	\$2,698
В	\$2,758
COL/C	\$2,862
D	\$2,995
E	\$3,108
F	\$3,306
G	\$3,519
Н	\$3,700
I	\$4,025
J	\$4,410

List Price Per Grade

72" Partial Back Bench



BS721R BS721L

- · plywood platform
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- links only to other units with a square end, (cannot link to a 120° angled end)

Dimensions	D	W	Н
Overall	24	72	28 1/2
Seat	17	72	16 ¹ / ₂
Upholstery		Shipping	
COM Ydg	6	Ctn Wt	120
COL Sq Ft	132	Cu Ft	34

COM \$3,854 A \$3,906 B \$4,007 COL/C \$4,184 D \$4,413 E \$4,607 F \$4,947 G \$5,311 H \$5,623 I \$6,180

J \$6,841

L1 \$5,772 L2 \$6,307

L1 \$3,787 L2 \$4,099

48" Straight Bench with Back



BS482

- · plywood platform
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9z for yardage requirements
- · links only to other units with a square end, (cannot link to a 120° angled end)

Dimensions	D	W	Н
Overall	24	48	28 1/2
Seat	17	48	16 ¹ / ₂
Upholstery		Shipping	
COM Ydg	3 1/2	Ctn Wt	102
COL Sq Ft	77	Cu Ft	18

COM \$2,529 A \$2,559 B \$2,618 COL/C \$2,722 D \$2,855 E \$2,969 F \$3,166 G \$3,379 H \$3,560 I \$3,886 J \$4,271 L1 \$3,648 L2 \$3,960

72" Straight Bench with Back



BS722

- · plywood platform
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · links only to other units with a square end, (cannot link to a 120° angled end)

D	W	Н
24	72	28 1/2
17	72	$16^{1/2}$
	Shipping	
6 3/4	Ctn Wt	137
1/10	Cu Et	34
	17 6 ³ / ₄	24 72 17 72 Shipping


COM	\$3,769
Α	\$3,828
В	\$3,942
COL/C	\$4,142
D	\$4,399
Ε	\$4,617
F	\$5,000
G	\$5,410
Н	\$5,760
I	\$6,387
J	\$7,130
L1	\$5,936
L2	\$6,539



Description

50" Chaise Bench with Partial Back





1 Model

BS501R BS501L

- · bent ply shell
- · linking hardware
- · COM based on single fabric
- multiple fabrics, see <u>BS9</u> for yardage requirements
- links only to other units with a square end, (cannot link to a 120° angled end)

Specifications


Dimensions	D	W	Н
Overall	24	49 3/4	28 1/2
Seat	17	$42^{3}/_{4}$	$16^{1/2}$
Arm			24 ³ / ₄
Upholstery		Shipping	
COM Ydg	4 1/2	Ctn Wt	111
COL Sq Ft	99	Cu Ft	24


List Price Per Grade

	0. 0.00
COM	\$3,413
Α	\$3,451
В	\$3,528
COL/C	\$3,661
D	\$3,832
Е	\$3,977
F	\$4,233
G	\$4,506
Н	\$4,740
I	\$5,158
J	\$5,653
L1	\$4,852

L2 \$5,252

74" Chaise Bench with Partial Back





BS741R BS741L

- · bent ply shell
- · linking hardware
- · COM based on single fabric
- multiple fabrics, see <u>BS9</u>
 for yardage requirements
- links only to other units with a square end, (cannot link to a 120° angled end)

Dimensions	D	W	Н
Overall	24	73 ³ / ₄	28 1/2
Seat	17	66 ³ / ₄	16 ¹ / ₂
Arm			24 ³ / ₄
Upholstery		Shipping	
COM Ydg	6 3/4	Ctn Wt	173
COL Sq Ft	149	Cu Ft	34

СОМ	\$4,572
Α	\$4,631
В	\$4,745
COL/C	\$4,945
D	\$5,202
E	\$5,420
F	\$5,803
G	\$6,212
Н	\$6,563
1	\$7,190
J	\$7.933

L1 \$6,739 L2 \$7,342

To Order, Specify:

- Model Number
- 2 Wood Species Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
- 3 Wood Finish See Wood Finish Options
- 4 Metal Leg Color See Metal Leg Color Options
- **5** Fabric Selection Vendor, Pattern and Color
 - A. Seat
 - B. Back
 - C. Deck or Deck and Arm(s)

Visit www.jsifurniture.com/finishes-and-materials/textiles for our textiles program. See selection of standard and graded in manufacturers and patterns.

- · Wood species Rift Cut White Oak or Flat Cut Walnut.
- · 5/8" thick exterior plywood.
- · Interior seating frame and support components are made from ³/₄" interior grade plywood.
- Exterior feet and leg frames are fabricated from 14 guage steel tubing.
- Modular seating units have a 3 ¹/₂" high-resilience seat foam placed onto sheet webbing for comfort and durability.
- Modular back and arm foam is high density for comfort and durability.

50" Open Side Bench with Back



Model BS502R BS502L

- · bent ply shell
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · links only to other units with a square end, (cannot link to a 120° angled end)

Dimensions	D	W	Н
Overall	24	49 3/4	28 1/2
Seat	17	42 3/4	16 ¹ / ₂
Arm			24 ³ / ₄
Upholstery		Shipping	
COM Ydg	4 1/2	Ctn Wt	122
COL Sq Ft	99	Cu Ft	24

Specifications


List Price I	Per Grade
СОМ	\$3,699
Α	\$3,737
В	\$3,814
COL/C	\$3,947
D	\$4,118
E	\$4,263
F	\$4,519
G	\$4,792
Н	\$5,026
1	\$5,444
J	\$5.939

L1 \$5,138 L2 \$5,538

74" Open Side Bench with Back

left

BESPACE



right

BS742R BS742L


- · bent ply shell
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · links only to other units with a square end, (cannot link to a 120° angled end)


3 ³ / ₄ 28 ¹ / ₂
6 ³ / ₄ 16 ¹ / ₂
24 ³ / ₄
pping
Wt 188
Ft 34

СОМ	\$4,715
Α	\$4,781
В	\$4,912
COL/C	\$5,142
D	\$5,437
E	\$5,688
F	\$6,127
G	\$6,597
Н	\$7,000
- 1	\$7,719
J	\$8,572

L1 \$7,201 L2 \$7,893

48" Angled Bench






BS480-120R BS480-120L

- · plywood platform
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · square end links only to other units with a square end
- · 120° angled end links only to other units with a 120° angled end

Dimensions	D	W	Н
Overall	24	48	16 ¹ / ₂
Seat	24	48	16 ¹ / ₂
Upholstery		Shipping	
COM Ydg	2	Ctn Wt	59
COL Sq Ft	44	Cu Ft	11

ons	D	W	Н	СОМ	\$2,197
	24	48	16 ¹ / ₂	Α	. , -
	24	48	16 ¹ / ₂	В	\$2,248
	24	1	10 /2	COL/C	\$2,307
ery		Shipping		D	\$2,384
S .	2	Ctn Wt	59	E	\$2,449
Ft	44	Cu Ft	11	F	\$2,562
				G	\$2,683
				Н	\$2,787
				I	\$2,973
				J	\$3,193
				L1	\$2,837

72" Angled Bench





BS720-120R BS720-120L

- · plywood platform
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- square end links only to other units with a square end
- · 120° angled end links only to other units with a 120° angled end

Dimensions	D	W	Н
Overall	24	72	16 ¹ / ₂
Seat	24	72	16 ¹ / ₂
Upholstery		Shipping	
COM Ydg	3 3/4	Ctn Wt	82
COL Sq Ft	83	Cu Ft	17

COM	\$2,910
Α	\$2,943
В	\$3,006
COL/C	\$3,117
D	\$3,260
Ε	\$3,382
F	\$3,594
G	\$3,821
Н	\$4,016
1	\$4,364

L2 \$3,015

J \$4,777 L1 \$4,118 L2 \$4,454


List Price Per Grade




Modular

Description

50" Angled Open Side Bench





Model

BS500-120R BS500-120L

- · bent ply shell
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · links only to other units with a 120° angled end, (cannot link to a square end)


pecifications		
Dimensions	D	

Overall	24	49 3/4	24 ³ / ₄
Seat	24	42 3/4	16 ¹ / ₂
Arm			24 ³ / ₄
Upholstery		Shipping	
COM Ydg	$2^{3}/4$	Ctn Wt	84

Dimensions	D	W	Н	СОМ	\$3,039
Overall	24	49 3/4	24 ³ / ₄	A	\$3,063
Seat	24	42 3/4	16 ¹ / ₂	В	\$3,110
	27	TZ /4		COL/C	\$3,191
Arm		1	24 ³ / ₄	D	\$3,296
Upholstery		Shipping		E	\$3,385
COM Ydg	2 ³ / ₄	Ctn Wt	84	F	,
COL Sq Ft	60 ¹ / ₂	Cu Ft	20	G	\$3,708
		1 3 4 1 4		Н	\$3,851
				- 1	\$4,106
				J	\$4,408

74" Angled Open Side Bench





BS740-120R BS740-120L

- · bent ply shell
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · links only to other units with a 120° angled end, (cannot link to a square end)

Dimensions	D	W	Н
Overall	24	73 ³ / ₄	24 ³ / ₄
Seat	24	66 ³ / ₄	16 ¹ / ₂
Arm			24 ³ / ₄
Upholstery		Shipping	
COM Ydg	4 1/2	Ctn Wt	141
COL Sq Ft	99	Cu Ft	31

COM	\$3,777
Α	\$3,815
В	\$3,892
COL/C	\$4,025
D	\$4,196
Ε	\$4,341
F	\$4,597
G	\$4,870
Н	\$5,104
- 1	\$5,522
J	\$6,017

L1 \$5,216 L2 \$5,616

L1 \$3,919 L2 \$4,164

To Order, Specify:

- Model Number
- 2 Wood Species Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
- 3 Wood Finish See Wood Finish Options
- 4 Metal Leg Color See Metal Leg Color Options
- **5** Fabric Selection Vendor, Pattern and Color
 - A. Seat
 - B. Back
 - C. Deck or Deck and Arm(s)

Visit www.jsifurniture.com/finishes-and-materials/textiles for our textiles program. See selection of standard and graded in manufacturers and patterns.

- \cdot Wood species Rift Cut White Oak or Flat Cut Walnut.
- · 5/8" thick exterior plywood.
- · Interior seating frame and support components are made from 3/4" interior grade plywood.
- · Exterior feet and leg frames are fabricated from 14 guage steel tubing.
- Modular seating units have a 3 1/2" high-resilience seat foam placed onto sheet webbing for comfort and durability.
- Modular back and arm foam is high density for comfort and durability.


回JSI

Modular

Description

48" Angled Bench with Back





Model

BS482-120R BS482-120L

- · plywood platform
- · linking hardware
- · COM based on single fabric
- multiple fabrics, see <u>BS9</u> for yardage requirements
- square end links only to other units with a square end
- 120° angled end links only to other units with a 120° angled end

Specifications	
----------------	--

Dimensions	D	W	Н
Overall	24	48	28 1/2
Seat	17	44	16 ¹ / ₂
		1	

Upholstery		Shipping	
COM Ydg	3 1/2	Ctn Wt	99
COL Sq Ft	77	Cu Ft	18

COM \$2,631 A \$2,661

B \$2,720 COL/C \$2,824

D \$2,957E \$3,071F \$3,268

G \$3,481


H \$3,662

I \$3,988

J \$4,373 L1 \$3,750

L2 \$4,062

72" Angled Bench with Back



BESPACE

BS722-120R BS722-120L

- · plywood platform
- · linking hardware
- · COM based on single fabric
- multiple fabrics, see <u>BS9</u>
 for yardage requirements
- square end links only to other units with a square end
- 120° angled end links only to other units with a 120° angled end

Dimensions	D	W	Н
Overall	24	72	28 1/2
Seat	17	68	$16^{1/2}$
Upholstery		Shipping	
COM Ydg	6 ³ / ₄	Shipping Ctn Wt	133


COM \$3,895
A \$3,954
B \$4,068
COL/C \$4,268
D \$4,524
E \$4,743
F \$5,126

G \$5,535 H \$5,886 I \$6,513

J \$7,256 L1 \$6,062 L2 \$6,665

50" Angled Open Side Bench with Back





BS502-120R BS502-120L


- · bent ply shell
- · linking hardware
- · COM based on single fabric
- multiple fabrics, see <u>BS9</u> for yardage requirements
- links only to other units with a 120° angled end, (cannot link to a square end)


Dimensions	D	W	Н
Overall	24	49 3/4	28 1/2
Seat	17	39	16 ¹ / ₂
Arm			24 ³ / ₄
Upholstery		Shipping	
COM Ydg	4 1/2	Ctn Wt	119
COL Sq Ft	99	Cu Ft	24

COM \$3,499
A \$3,538
B \$3,614
COL/C \$3,748
D \$3,918
E \$4,064
F \$4,320
G \$4,592
H \$4,826
I \$5,244
J \$5,739
L1 \$4,938

L2 \$5,339

74" Angled Open Side Bench with Back





BS742-120R BS742-120L

- · bent ply shell
- · linking hardware
- · COM based on single fabric
- multiple fabrics, see <u>BS9</u>
 for yardage requirements
- links only to other units with a 120° angled end, (cannot link to a square end)

Dimensions	D	W	Н
Overall	24	73 ³ / ₄	28 1/2
Seat	17	63	16 ¹ / ₂
Arm			24 ³ / ₄
Upholstery		Shipping	
COM Ydg	7 3/4	Ctn Wt	184
COL Sq Ft	171	Cu Ft	34

COM \$4,769
A \$4,835
B \$4,966
COL/C \$5,196
D \$5,491
E \$5,742
F \$6,181
G \$6,651
H \$7,054
I \$7,773
J \$8,626
L1 \$7,256
L2 \$7,947



Description

48" Dual Angled Bench

Model BS480-122

- · plywood platform
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9
- for yardage requirements
- links only to other units with a 120° angled end, (cannot link to a square end)

•			
Dimensions	D	W	Н
Overall	24	48	16 ¹ / ₂
Seat	24	48	16 ¹ / ₂
Upholstery		Shipping	
COM Ydg	2	Ctn Wt	56
COL Sa Ft	44	Cu Ft	11

Specifications

List Price Per Grade

COM \$2,206

A \$2,224

B \$2,257

COL/C \$2,317

D \$2,394

E \$2,458


F \$2,571

G \$2,692

G \$2,692 H \$2,796 I \$2,982

J \$3,203 L1 \$2,846 L2 \$3,025

72" Dual Angled Bench



BS720-122

- · plywood platform
- · linking hardware
- · COM based on single fabric
- multiple fabrics, see <u>BS9</u>
 for yardage requirements
- links only to other units with a 120° angled end, (cannot link to a square end)

Dimensions	D	W	Н
Overall	24	72	16 ¹ / ₂
Seat	24	72	$16^{1/2}$
Upholstery		Shipping	
COM Ydg	3 3/4	Ctn Wt	78
COL Sq Ft	83	Cu Ft	17

COM	\$2,921
Α	\$2,953
В	\$3,016
COL/C	\$3,128
D	\$3,270
E	\$3,392
F	\$3,604
G	\$3,832
Н	\$4,026
1	\$4,375
J	\$4.788

L1 \$4,128 L2 \$4,464

To Order, Specify:

- Model Number
- 2 Wood Species Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
- 3 Wood Finish See Wood Finish Options
- 4 Metal Leg Color See Metal Leg Color Options
- 5 Fabric Selection Vendor, Pattern and Color
 - A. Seat
 - B. Back
 - C. Deck or Deck and Arm(s)

Visit www.jsifurniture.com/finishes-and-materials/textiles for our textiles program. See selection of standard and graded in manufacturers and patterns.

- · Wood species Rift Cut White Oak or Flat Cut Walnut.
- · 5/8" thick exterior plywood.
- · Interior seating frame and support components are made from ³/₄" interior grade plywood.
- Exterior feet and leg frames are fabricated from 14 guage steel tubing.
- Modular seating units have a 3 ¹/₂" high-resilience seat foam placed onto sheet webbing for comfort and durability.
- Modular back and arm foam is high density for comfort and durability.

List Price Per Grade

Modular

Description

48" Dual Angled Bench with Back



Model BS482-122


- plywood platform
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · links only to other units with a 120° angled end, (cannot link to a square end)

Dimensions	D	W	Н
Overall	24	48	28 1/2
Seat	17	40	16 ¹ / ₂
Upholstery		Shipping	
COM Ydg	3 1/2	Ctn Wt	96

Specifications

-					
Dimensions	D	W	Н	СОМ	\$2,631
Overall	24	48	28 1/2	A	. ,
				- В	\$2,720
Seat	17	40	16 ¹ / ₂	COL/C	\$2,824
Upholstery		Shipping		D	\$2,957
COM Ydg	3 1/2	Ctn Wt	96	E	\$3,071
COL Sq Ft	77	Cu Ft	18	F	\$3,268
				G	\$3,481
				Н	\$3,662
				I	\$3,988

72" Dual Angled Bench with Back



BS722-122

- · plywood platform
- · linking hardware
- \cdot COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · links only to other units with a 120° angled end, (cannot link to a square end)

Dimensions	D	W	н
Overall	24	72	28 1/2
Seat	17	64	$16^{1/2}$
Upholstery		Shipping	
00141/14	- 0 :		
COM Ydg	$6^{3}/4$	Ctn Wt	129
COM Yag	6 ³ / ₄ 149	Ctn Wt	129 34

L2 \$4,062 COM \$3,860 A \$3,918 B \$4,033 COL/C \$4,232 D \$4,489 E \$4,708 F \$5,090 G \$5,500 H \$5,850

J \$4,373 L1 \$3,750

L1 \$6,026 L2 \$6,629

I \$6,478 J \$7,220



Description

Modular

120° Connecting Bench

1 Model BS240-122

- · plywood platform
- · linking hardware
- · COM based on single fabric
- multiple fabrics, see <u>BS9</u> for yardage requirements
- links only to other units with a square end, (cannot link to a 120° angled end)
- allows flat end modular units to complete 120° turn

Dimensions	D	W	Н
Overall	32 1/2	41 ¹ / ₄	16 ¹ / ₂
Seat	24	41 ¹ / ₄	16 ¹ / ₂
Upholstery		Shipping	
COM Ydg	2 1/2	Ctn Wt	65
COL Sq Ft	50	Cu Ft	12

Specifications

List Price Per Grade

COM \$2,134 A \$2,155 B \$2,198

B \$2,198 COL/C \$2,272

D \$2,366 E \$2,448

F \$2,589 G \$2,741

H \$2,871

I \$3,103 J \$3,378

L1 \$2,852

L2 \$3,055

120° Connecting Bench with Back





BS242-122

- · plywood platform
- · linking hardware
- · COM based on single fabric
- multiple fabrics, see <u>BS9</u> for yardage requirements
- links only to other units with a square end, (cannot link to a 120° angled end)
- allows flat end modular units to complete 120° turn

Dimensions	D	W	Н
Overall	32 1/2	41 ¹ / ₄	28 ¹ / ₂
Seat	17	35	16 ¹ / ₂
Upholstery		Shipping	
COM Ydg	4 1/2	Ctn Wt	102
COL Sq Ft	90	Cu Ft	20

COM	\$2,827
Α	\$2,866
В	\$2,943
COL/C	\$3,076
D	\$3,246
E	\$3,392
F	\$3,648
G	\$3,920
н	\$4 154

J \$5,067 L1 \$4,121 L2 \$4,485

1 \$4,572

To Order, Specify:

- Model Number
- 2 Wood Species Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
- 3 Wood Finish See Wood Finish Options
- 4 Metal Leg Color See Metal Leg Color Options
- 5 Fabric Selection Vendor, Pattern and Color
 - A. Seat
 - B. Back
 - C. Deck or Deck and Arm(s)

Visit www.jsifurniture.com/finishes-and-materials/textiles for our textiles program. See selection of standard and graded in manufacturers and patterns.

- \cdot Wood species Rift Cut White Oak or Flat Cut Walnut.
- · 5/8" thick exterior plywood.
- · Interior seating frame and support components are made from 3/4" interior grade plywood.
- Exterior feet and leg frames are fabricated from 14 guage steel tubing.
- Modular seating units have a 3 ¹/₂" high-resilience seat foam placed onto sheet webbing for comfort and durability.
- Modular back and arm foam is high density for comfort and durability.

List Price Per Grade

Modular

Description

Corner Bench with Back





Model

BS242R BS242L


- · plywood platform
- · linking hardware
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · links only to other units with a square end, (cannot link to a 120° angled end)

Dimensions	D	W	Н
Overall	24	24	28 1/2
Seat	17	17	$16^{1/2}$
Upholstery		Shipping	
COM Ydg	3 1/4	Ctn Wt	75
COL Sq Ft	65	Cu Ft	11

Specifications

-					
Dimensions	D	W	Н	COM	\$2,259
Overall	24	24	28 ¹ / ₂	Α	\$2,287
Coot	17	17	16 ¹ / ₂	В	\$2,343
Seat	17	17	10 -/2	COL/C	\$2,438
Upholstery		Shipping		D	\$2,562
COM Ydg	$3^{1/4}$	Ctn Wt	75	E	\$2,668
COL Sq Ft	65	Cu Ft	11	F	\$2,852
				G	\$3,049
				Н	\$3,218
				1	\$3,520
				J	\$3,878

Corner Bench with Back



BS242C

- · plywood platform
- · linking hardware
- · diagonal seam
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · links only to other units with a square end, (cannot link to a 120° angled end)

Dimensions	D	W	Н
Overall	24	24	28 ¹ / ₂
Seat	17	17	$16^{1/2}$
Upholstery		Shipping	
COM Ydg	3 1/4	Ctn Wt	75
COL Sq Ft	65	Cu Ft	11

COM	\$2,259
Α	\$2,287
В	\$2,343
COL/C	\$2,438
D	\$2,562
Ε	\$2,668
F	\$2,852
G	\$3,049
Н	\$3,218

L1 \$3,193 L2 \$3,456

J \$3,878 L1 \$3,193 L2 \$3,456

1 \$3,520



Description **Upholstered Pod**

Model

- **BS140** plywood platform
- · nylon glides
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · casters not available

Dimensions	D	W	Н
Overall	13 ¹ / ₂	13 ¹ / ₂	18
Seat	13 1/2	13 1/2	18
Upholstery		Shipping	
COM Ydg	1 ¹ / ₂	Ctn Wt	22
COL Sq Ft	27	Cu Ft	3

Specifications				List Pric
Dimensions	D	W	Н	CO
Overall	13 ¹ / ₂	13 ¹ / ₂	18	
Seat	13 ¹ / ₂	13 ¹ / ₂	18	COL/
Upholstery		Shipping		302/
COM Ydg	1 ¹ / ₂	Ctn Wt	22	
COL Sq Ft	27	Cu Ft	3	

Per Grade
\$969
\$982
\$1,007
\$1,052
\$1,109
\$1,157
\$1,242
\$1,334
\$1,412
\$1,551
\$1,715
\$1,351
\$1,461

Upholstered Table



BS140W

- · plywood top
- · plywood platform
- · nylon glides
- · COM based on single fabric
- · multiple fabrics, see BS9 for yardage requirements
- · casters not available

D	W	Н
13 1/2	13 ¹ / ₂	21 ¹ / ₄
	Shipping	
1 1/2	Ctn Wt	25
27	Cu Ft	3
	1 1/2	13 ¹ /2 13 ¹ /2 Shipping 1 ¹ /2 Ctn Wt

В	\$1,103
COL/C	\$1,148
D	\$1,205
E	\$1,253
F	\$1,338
G	\$1,429
Н	\$1,507
- 1	\$1,647
J	\$1,811
L1	\$1,447

L2 \$1,556

COM \$1,064

A \$1,078

To Order, Specify:

- Model Number
- 2 Wood Species Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
- 3 Wood Finish See Wood Finish Options
- 4 Metal Leg Color See Metal Leg Color Options
- **5** Fabric Selection Vendor, Pattern and Color
 - A. Seat
 - B. Back
 - C. Deck or Deck and Arm(s)

Visit www.jsifurniture.com/finishes-and-materials/textiles for our textiles program. See selection of standard and graded in manufacturers and patterns.

- \cdot Wood species Rift Cut White Oak or Flat Cut Walnut.
- · 5/8" thick exterior plywood.
- · Interior seating frame and support components are made from 3/4" interior grade plywood.
- · Exterior feet and leg frames are fabricated from 14 guage steel tubing.
- Modular seating units have a 3 1/2" high-resilience seat foam placed onto sheet webbing for comfort and durability.
- Modular back and arm foam is high density for comfort and durability.

\$1,590

\$1,638

\$1,842

BESPACE

Modular

Description	D	W	Н	WT	CU FT	1 Model	List Price
Square Table	24	24	16 ¹ / ₄	40	5	BS2424SCT	\$1,341



- · straight grain top
- no opening
- · linking hardware
- power center (EC22) available on front and/or back panel, specify and add \$638 list each



- 24 24 16 ¹/₄ 40 5 **BS2424DCT** \$1,424
- diagonal grain top
 - · no opening
 - · for corner installation
 - · linking hardware
 - power center (EC22) available on back panel(s), specify and add \$638 list each



24 24 16 ¹/₄ 40 5 **BS24240CT** \$1,282

9

- · straight grain top
- · open front
- · linking hardware




Coffee Table 24 48 $16^{1/4}$



- straight grain top
- · open front
- · linking hardware

48" Single Angled Table




24 48 16 ¹/₄ 60 9 **BS2448SCTR** \$1,715 24 48 16 ¹/₄ 60 9 **BS2448SCTL** \$1,715

BS24480CT

BS2448DCT

BS3636-120CT

- · one square end, one 120° angled end
- · no opening
- · linking hardware



- power center (EC22) available on front and/or back panel, specify and add \$638 list each
- · square end links only to other square end units
- · 120° angled end links only to other 120° angled end units

16 ¹/₄

60

50

9

9

48" Dual Angled Corner Table



· two 120° angled ends

48

· no opening

24

- · linking hardware
- power center (EC22) available on front and/or back panel, specify and add \$638 list each
- · 120° angled ends link only to other 120° angled end units

 $16^{1/4}$

120° Connecting Table



- · diagonal grain top
- · no opening

36

- · linking hardware
- power center (EC22) available on front and back panel(s), specify and add \$638 list each
- · optional EC22 on non-linking sides

36

 square ends link only to other square end units (cannot link to 120° angled ends)

\$3,900

\$4,070

\$3,755

\$4,026

\$4,365



Freestanding

Description	D	W	Н	WT	FT	1 Model	List Price
Side Wood Table	20	20	16 ¹ / ₄	25	5	BS2020WTT	\$3,707

CH

14

26

5

14

26

BS2448WTT

BS4848WTT

BS2020GTT

BS2448GTT

BS4848GTT

CTN

35

55

30

40

60



- · 5/8" thick plywood top
- · metal frame





48

 $16^{1/4}$

16 ¹/₄

 $16^{1/4}$

16 ¹/₄

16 ¹/₄




- · metal frame

24









Glass Side Table

20 · 1/2" thick tempered glass top



- · metal frame

20

Rectangular Glass Coffee Table

48



- · 1/2" thick tempered glass top
- · metal frame

24

Square Glass Coffee Table

48 · 1/2" thick tempered glass top



- metal frame

48

To Order, Specify:

- 1 Model Number
- 2 Wood Species Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
- 3 Wood Finish See Wood Finish Options
- 4 Glass Color Clear (GTC01) or Smoke (GTC04)
- **5** Metal Leg Color <u>See Metal Leg Color Options</u>
- **6** Optional Power Center (see page BS5)


- · Wood species Rift Cut White Oak or Flat Cut Walnut.
- · Linking Tables have 3/4" thick plywood tops
- · Exterior feet and leg frames are fabricated from 14 guage steel tubing and 14 guage flat stock.

回 JSI

Modular

Description	D	W	Н	CTN WT	CU FT	Model	List Price No Cushion	List F With C	
Bench Height Credenza	18	54	14 ¹ / ₂	80	7	BS1854-16S0S	\$1,933	COM	\$2,521
Open Storage	· three oper	n sections						Α	\$2,535
	· linking ha	rdware						В	\$2,560
	· optional a	ttached 1	$^{1}/_{2}$ " thick cu	shion				COL/C	\$2,605
			e a wire pass					D	\$2,662
ı I	•		•		. ,	d add \$116 list		E	\$2,710
		0	cluded for fie	eld installa	tion			F	\$2,795
	· com ydg:	1 1/2						G	\$2,886
								Н	\$2,964
shown with cushion								- 1	\$3,104
WITH GUSHION								J	\$3,268
								L1	\$2,904
								L2	\$3,013

Bench Height Cred	enz
Open Storage	



18	72	14 ¹ / ₂	90	9	BS1872-16S0S	\$2,304	СОМ	\$3,050
· four open se	ections						Α	\$3,065
· linking hard	ware						В	\$3,094
· optional atta	ached 1 $^{\mathrm{1}}$	/2" thick cus	hion				COL/C	\$3,146
· interior divid		•					D	\$3,213
•		•	-	. ,	l add \$116 list		Ε	\$3,270
· 24" wire ma · com ydg: 1	U	siuaea for fie	id installati	on			F	\$3,369
· com yug. 1	-74						G	\$3,475
							Н	\$3,566
							I	\$3,729
							J	\$3,921
							L1	\$3,504
							L2	\$3,634

COM \$3,382

A \$3,397

I \$4,061 J \$4,253

L1 \$3,836 L2 \$3,966

L2 \$4,323

\$2,636




Modular


	W	Н	WT	FT	Model	No Cushion	With C	Price ushion
18	54	14 ¹ / ₂	100	7	BS1854-16SDWR	\$2,288		\$2,879
two drawe linking ha optional a interior div rectangula 24" wire r	ers rdware attached 1 viders have ar back cei nanager in	e a wire pass nter gromme	thru t available,	. ,	BS1854-16SDWL d add \$116 list	\$2,888	B COL/C D E F G H I J	\$2,893 \$2,918 \$2,962 \$3,020 \$3,067 \$3,153 \$3,244 \$3,322 \$3,462 \$3,626 \$3,262 \$3,371
	18 • one open two drawe • linking ha • optional a • interior di • rectangula • 24" wire r	18 54 · one open section, two drawers · linking hardware · optional attached 1 · interior dividers have · rectangular back ce	18 54 14 ½ · one open section, two drawers · linking hardware · optional attached 1 ½" thick cu interior dividers have a wire pass · rectangular back center grommet · 24" wire manager included for field	18 54 14 ½ 100 · one open section, two drawers · linking hardware · optional attached 1 ½" thick cushion · interior dividers have a wire pass thru · rectangular back center grommet available, · 24" wire manager included for field installat	18 54 14 ½ 100 7 · one open section, two drawers · linking hardware · optional attached 1 ½" thick cushion · interior dividers have a wire pass thru · rectangular back center grommet available, specify an · 24" wire manager included for field installation	18 54 14 ½ 100 7 BS1854-16SDWL · one open section, two drawers · linking hardware · optional attached 1 ½" thick cushion · interior dividers have a wire pass thru · rectangular back center grommet available, specify and add \$116 list · 24" wire manager included for field installation	18 54 14 ½ 100 7 BS1854-16SDWL \$2,888 · one open section, two drawers · linking hardware · optional attached 1 ½" thick cushion · interior dividers have a wire pass thru · rectangular back center grommet available, specify and add \$116 list · 24" wire manager included for field installation	18 54 14 1/2 100 7 BS1854-16SDWL \$2,888 one open section, two drawers linking hardware optional attached 1 1/2" thick cushion interior dividers have a wire pass thru rectangular back center grommet available, specify and add \$116 list 24" wire manager included for field installation com ydg: 1 1/2 J L1

100

9

Bench Height Credenza with Drawers






18 72 14 ¹ / ₂ 100 9 BS1872-16SDWL \$2,636	A \$3,397
two open sections.	В \$3,426
two drawers	COL/C \$3,478
linking hardware	D \$3,545
optional attached 1 ½" thick cushion	E \$3,602
interior dividers have a wire pass thru	F \$3,701
rectangular back center grommet available, specify and add \$116 list	G \$3,807
24" wire manager included for field installation	Н \$3,897

BS1872-16SDWR

Bench Height Credenza with Drawers



	18	72	14 ¹ / ₂	120	9	BS1872-16SFS	\$2,993	COM	\$3,738
	four drawers							Α	\$3,754
	linking hardw	are						В	\$3,783
	optional atta	ched 1 ¹ /	2" thick cush	nion				COL/C	\$3,835
	interior divide		•					D	\$3,902
	rectangular b	E	\$3,959						
	24" wire man	•	uded for field	d installation				\$4,058	
•	com ydg: 1 ³ /	/ 4						G	\$4,164
								Н	\$4,254
								- 1	\$4,417
								J	\$4,610
								L1	\$4,193

To Order, Specify:

- 1 Model Number
- 2 Wood Species Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
- 3 Wood Finish See Wood Finish Options

with cushion

- 4 Drawer Front Optional Paint Color See Paint Color Options
- **5** Metal Leg Color <u>See Metal Leg Color Options</u>
- 6 Fabric Selection Vendor, Pattern and Color

Visit www.jsifurniture.com/finishes-and-materials/textiles for our textiles program. See selection of standard and graded in manufacturers and patterns.

18

· com ydg: 1 3/4

72


 $14^{1/2}$

- · Wood species Rift Cut White Oak or Flat Cut Walnut.
- · 3/4" thick plywood tops
- \cdot Exterior feet and leg frames are fabricated from 14 guage steel tubing and 14 guage flat stock.

را آح


Modular

Description	D	W	Н	WT	FT	1 Model	List Price
Low Height Credenza	18	54	20	120	11	BS1854-20S0SR	\$2,010
Open Storage	18	54	20	120	11	BS1854-20S0SL	\$2,010




- · open cabinet
- · linking hardware
- · interior dividers have a wire pass thru
- · rectangular back center grommet available, specify and add \$116 list
- · 24" wire manager included for field installation


Lo	w F	leigh	t Cr	ede	nza
0	pen	Stora	age		



- · two fixed shelves
- · linking hardware
- · interior dividers have a wire pass thru
- · rectangular back center grommet available, specify and add \$116 list
- · 24" wire manager included for field installation








- 18
 54
 20
 140
 11
 BS1854-20SDWR
 \$2,318

 18
 54
 20
 140
 11
 BS1854-20SDWL
 \$2,318
- · one open cabinet, one storage drawer
- · linking hardware
- · interior dividers have a wire pass thru
- · rectangular back center grommet available, specify and add \$116 list
- · 24" wire manager included for field installation


Low Height Credenza
with Drawer



18	72	20	130	15	BS1872-20SDWR	\$2,785
18	72	20	130	15	BS1872-20SDWL	\$2,785

- · one open cabinet with one fixed shelf, one storage drawer
- · linking hardware
- $\boldsymbol{\cdot}$ interior dividers have a wire pass thru
- \cdot rectangular back center grommet available, specify and add \$116 list
- · 24" wire manager included for field installation


Low Height Credenza with Two Drawers



- 18 72 20 150 15 **BS1872-20SFS \$2,956**
- \cdot two storage drawers
- $\cdot \ \text{linking hardware} \\$
- · interior dividers have a wire pass thru
- \cdot rectangular back center grommet available, specify and add \$116 list
- · 24" wire manager included for field installation




Description	D	W	Н	WT	FT	1 Model	List Price
Standard Height Credenza	18	54	27	130	15	BS1854-27S0SR	\$2,368
Open Storage	18	54	27	130	15	BS1854-27S0SL	\$2,368



- · open cabinet, two fixed shelves
- · linking hardware
- · interior dividers have a wire pass thru
- · rectangular back center grommet available, specify and add \$116 list
- · 24" wire manager included for field installation


Standard Height Credenza Open Storage




- · open cabinet, three fixed shelves
- · linking hardware
- · interior dividers have a wire pass thru
- · rectangular back center grommet available, specify and add \$116 list
- · 24" wire manager included for field installation



with Drawer






- · open cabinet with fixed shelf, storage drawer with open compartment
- · linking hardware
- · interior dividers have a wire pass thru
- · rectangular back center grommet available, specify and add \$116 list
- · 24" wire manager included for field installation

To Order, Specify:

- Model Number
- 2 Wood Species Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
- 3 Wood Finish See Wood Finish Options
- 4 Drawer Front Optional Paint Color See Paint Color Options
- **5** Metal Leg Color <u>See Metal Leg Color Options</u>


- \cdot Wood species Rift Cut White Oak or Flat Cut Walnut.
- · 3/4" thick plywood tops
- Exterior feet and leg frames are fabricated from 14 guage steel tubing and 14 guage flat stock.

Description	D	W	Н	WT	CU FT	Model	List Price
Standard Height	18	54	27	150	15	BS1854-27SFSR	\$2,801
Storage Credenza	18	54	27	150	15	BS1854-27SFSL	\$2,801



- · one door with fixed shelf, storage drawer with open compartment
- · linking hardware
- · interior dividers have a wire pass thru
- · rectangular back center grommet available, specify and add \$116 list
- · 24" wire manager included for field installation


Standar	d Height
Storage	Credenza



- 18
 72
 27
 160
 20
 BS1872-27SSR
 \$3,418

 18
 72
 27
 160
 20
 BS1872-27SSL
 \$3,418
- one door with fixed shelf, storage drawer with open compartment open storage one fixed shelf
- · linking hardware
- · interior dividers have a wire pass thru
- · rectangular back center grommet available, specify and add \$116 list
- · 24" wire manager included for field installation


Standard Height Storage Credenza



- 18 72 27 170 20 **BS1872-27SFS** \$3,524
- one door with fixed shelf, one drawer with open compartment, one door with fixed shelf
- · linking hardware
- · interior dividers have a wire pass thru
- · rectangular back center grommet available, specify and add \$116 list
- · 24" wire manager included for field installation




Description	D	W	Н	WT	CU FT	1 Model	List Price
Tall Credenza Open Storage	18	54	33	140	19	BS1854-33S0SR	\$2,727
	18	54	33	140	19	BS1854-33S0SL	\$2,727




- · open cabinet, four fixed shelves
- · linking hardware
- · interior dividers have a wire pass thru
- · rectangular back center grommet available, specify and add \$116 list
- · 24" wire manager included for field installation

Tall Credenza Open Storage	18	72	33	140	25	BS1872-33S0S	\$3,165
----------------------------	----	----	----	-----	----	--------------	---------



- · open cabinet, six fixed shelves
- · linking hardware
- · interior dividers have a wire pass thru
- · rectangular back center grommet available, specify and add \$116 list
- · 24" wire manager included for field installation


a



- 18
 54
 33
 160
 19
 BS1854-33SFSR
 \$3,186

 18
 54
 33
 160
 19
 BS1854-33SFSL
 \$3,186
- one door with two fixed shelves,
 one storage drawer with two open compartments
- · linking hardware
- · interior dividers have a wire pass thru
- · rectangular back center grommet available, specify and add \$116 list
- · 24" wire manager included for field installation

Tall Storage Credenza



 18
 72
 33
 170
 25
 BS1872-33SSR
 \$3,617

 18
 72
 33
 170
 25
 BS1872-33SSL
 \$3,617

BS1872-33SFS


- one door with two fixed shelves, one storage drawer with two open compartments, one cabinet with two fixed shelves
- · linking hardware
- · interior dividers have a wire pass thru
- · rectangular back center grommet available, specify and add \$116 list

180

25

· 24" wire manager included for field installation

Tall Storage Credenza



one door with two fixed shelves,
 one storage drawer with two open co

72

one storage drawer with two open compartments, one door with two fixed shelves

33

· linking hardware

18

- · interior dividers have a wire pass thru
- · rectangular back center grommet available, specify and add \$116 list
- · 24" wire manager included for field installation

To Order, Specify:

- 1 Model Number
- 2 Wood Species Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
- 3 Wood Finish See Wood Finish Options
- 4 Drawer Front Optional Paint Color See Paint Color Options
- Metal Leg Color See Metal Leg Color Options

Specifications:

- · Wood species Rift Cut White Oak or Flat Cut Walnut.
- \cdot $^{3}/_{4}^{\prime\prime}$ thick plywood tops
- Exterior feet and leg frames are fabricated from 14 guage steel tubing and 14 guage flat stock.

\$3,759


回JSI


L2 \$4,438

L1 \$4,720 L2 \$4,813

Description	D	W	Н	CTN WT	CU FT	Model	List Price No Cushion		Price Cushion
Low Height Transition Credenza	18	54	14 1/2 / 20	110	11	BS1854-20TOSR	\$2,988		\$3,479
Open Storage	18	54	14 1/2 / 20	110	11	BS1854-20TOSL	\$2,988		\$3,487 \$3,499
	· open cal	top							\$3,521 \$3,550
left shown	 linking hardware optional attached 1 ¹/₂" thick cushion 								\$3,574
			ive a wire pass th					F	\$3,617
		•	•			fy and add \$224 list			\$3,662
		U	included for field	ınstallatı	on			Н	\$3,70
shown	· com ydg	. 9/4						I	\$3,770
with cushion								J	\$3,853
								L1	\$3,67
									\$3,73


Low Height Transition Credenz	26
Open Storage	






18	72	14 1/2 / 20	120	15	BS1872-20T0SR	\$3,291	СОМ	\$4,018	
18	72	14 1/2 / 20	120	15	BS1872-20T0SL	\$3,291	Α	\$4,029	
· open cabi			120	10	D01012 20100E	Ψ0,201	В	\$4,050	
•	COL/C	\$4,088							
 bent ply top linking hardware 									
· optional a	Е	\$4,175							
•		e a wire pass th					F	\$4,246	
· two rectan	gular bac	ck center gromm	ets availabl	e, specify a	and add \$224 list		G	\$4,322	
· 24" wire m	nanager iı	ncluded for field	installation				Н	\$4,387	
· com ydg:	1	\$4,503							
	J	\$4,641							
							L1	\$4,346	

Low Height Transition
Storage Credenza





18	72	$14^{1/2}/20$	110	15	BS1872-20TSR	\$3,665	COM	\$4,392				
18	72	14 1/2 / 20	110	15	BS1872-20TSL	\$3,665	Α	\$4,404				
			110	10	D01012 2010L	ψο,σσσ	В	\$4,425				
	· two drawers, open cabinet · bent ply top CO											
. ,	· linking hardware											
U	· optional attached 1 ½ "thick cushion											
· interior	dividers hav	e a wire pass th	ıru				F	\$4,620				
· two rect	angular bad	ck center gromm	iets availat	ole, specif	y and add \$224 list		G	\$4,696				
	_	ncluded for field	l installatio	n			Н	\$4,762				
· com yda	· com ydg: 1 ¹ / ₄											
	J \$											




Description	D	W	Н	CTN WT	CU FT	Model	List Price No Cushion	List P With Cu	
Low Height Transition	18	54	14 ¹ / ₂ / 20	120	11	BS1854-20TFSR	\$3,577		\$4,068
Storage Credenza	18 • three dra • bent ply • linking ha • optional • interior d • two recta	54 wers top ardware attached ividers ha ngular ba	$14^{1/2}/20$ $1^{1/2}$ thick cust we a wire pass the	120 nion nru nets availa	11	BS1854-20TFSL fy and add \$224 list	\$3,577	A B COL/C D E F G	\$4,075 \$4,088 \$4,110 \$4,139 \$4,163 \$4,205 \$4,251
shown with cushion	· com ydg:	U	norded for new	, mound	on.			l J L1	\$4,289 \$4,359 \$4,441 \$4,268 \$4,325

130

130

Low Height Transition
Storage Credenza



18 · four drawers

18

- · bent ply top · linking hardware
- · optional attached 1 1/2" thick cushion

72

72

- · interior dividers have a wire pass thru · two rectangular back center grommets available, specify and add \$224 list

 $14^{1/2}/20$

 $14^{1/2}/20$

В	\$4,663
COL/C	\$4,700
D	\$4,747
Е	\$4,788
F	\$4,858
G	\$4,934
Н	\$5.000

\$3,904

\$3,904

COM \$4,631

A \$4,642




15


15

BS1872-20TFSR

BS1872-20TFSL

Low Height Transition Storage Credenza





18	54	14 1/2 / 20	130	11	BS1854-20TDSR	\$3,628	СОМ	\$4,119
18	54	14 1/2 / 20	130	11	BS1854-20TDSL	\$3,628	Α	\$4,126
one door		. , -	100		50100 1 201502	+0,020	В	\$4,139
two draw			COL/C	\$4,160				
bent ply t							D	\$4,190
linking ha	•						Ε	\$4,214

 \cdot optional attached 1 $^{1}/_{2}$ " thick cushion · interior dividers have a wire pass thru

· two rectangular back center grommets available, specify and add \$224 list · 24" wire manager included for field installation

· com ydg: 3/4

F \$4,256 G \$4,302 H \$4,340

> I \$4,410 J \$4,492 L1 \$4,319

L2 \$4,376


To Order, Specify:

- Model Number
- 2 Wood Species Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
- 3 Wood Finish See Wood Finish Options
- 4 Door and Drawer Front Optional Paint Color See Paint Color Options
- **5** Metal Leg Color <u>See Metal Leg Color Options</u>
- 6 Fabric Selection Vendor, Pattern and Color

Visit www.jsifurniture.com/finishes-and-materials/textiles for our textiles program. See selection of standard and graded in manufacturers and patterns.


- · Wood species Rift Cut White Oak or Flat Cut Walnut.
- · 3/4" thick plywood tops
- · Exterior feet and leg frames are fabricated from 14 guage steel tubing and 14 guage flat stock.

Description	D	W	Н	WT	FT	1 Model	List Price
Standard Height Transition	18	54	20 / 27	120	15	BS1854-27TOSR	\$3,602
Credenza Open Storage	18	54	20 / 27	120	15	BS1854-27T0SL	\$3,602



- · open cabinet, four fixed shelves
- · bent ply top
- · linking hardware
- · interior dividers have a wire pass thru
- · two rectangular back center grommets available, specify and add \$224 list
- · 24" wire manager included for field installation


Standard Height Transition Credenza Open Storage



- 18
 72
 20 / 27
 130
 20
 BS1872-27T0SR
 \$3,813

 18
 72
 20 / 27
 130
 20
 BS1872-27T0SL
 \$3,813
- · open cabinet, six fixed shelves
- · bent ply top
- · linking hardware
- · interior dividers have a wire pass thru
- · two rectangular back center grommets available, specify and add \$224 list
- · 24" wire manager included for field installation


Standard Height Transition Credenza



18	54	20 / 27	130	15	BS1854-27THDR	\$3,720
18	54	20 / 27	130	15	BS1854-27THDL	\$3.720

- one door with two fixed shelves,
 open cabinet with two fixed shelves
- · bent ply top
- · linking hardware
- · interior dividers have a wire pass thru
- · two rectangular back center grommets available, specify and add \$224 list
- · 24" wire manager included for field installation


Standard Height Transition Credenza Open Storage



- 18
 72
 20 / 27
 140
 20
 BS1872-27TSR
 \$4,049


 18
 72
 20 / 27
 140
 20
 BS1872-27TSL
 \$4,049
- · two doors with two fixed shelves, open cabinets with two fixed shelves
- bent ply top
- · linking hardware
- · interior dividers have a wire pass thru
- · two rectangular back center grommets available, specify and add \$224 list
- · 24" wire manager included for field installation

Standard Height Transition Credenza Full Storage



- 18 54 20 / 27 140 15 BS1854-27TFSR \$3,991 18 54 20 / 27 140 15 BS1854-27TFSL \$3,991
- · one door with two fixed shelves,
 - two drawers
- · bent ply top
- $\cdot \ \text{linking hardware} \\$
- · interior dividers have a wire pass thru
- · two rectangular back center grommets available, specify and add \$224 list
- · 24" wire manager included for field installation

Standard Height Transition Credenza Full Storage




- 18
 72
 20 / 27
 160
 20
 BS1872-27TFSR
 \$4,513

 18
 72
 20 / 27
 160
 20
 BS1872-27TFSL
 \$4,513
- · two doors with two fixed shelves,
- · two drawers
- · bent ply top
- · linking hardware
- · interior dividers have a wire pass thru
- two rectangular back center grommets available, specify and add \$224 list
- · 24" wire manager included for field installation




Description	D	W	Н	CTN WT	CU FT	1 Model	List Price
Tall Transition Credenza	18	54	27 / 33	130	19	BS1854-33TOSR	\$3,731
Open Storage	18	54	27 / 33	130	19	BS1854-33T0SL	\$3,731



- · open cabinet, four fixed shelves
- · bent ply top
- · linking hardware
- · interior dividers have a wire pass thru
- two rectangular back center grommets available, specify and add \$224 list
- · 24" wire manager included for field installation


Tall Transition Credenza Open Storage



- 18
 72
 27 / 33
 140
 25
 BS1872-33TOSR
 \$4,066

 18
 72
 27 / 33
 140
 25
 BS1872-33TOSL
 \$4,066
- · open cabinet, six fixed shelves
- · bent ply top
- · linking hardware
- · interior dividers have a wire pass thru
- · two rectangular back center grommets available, specify and add \$224 list
- · 24" wire manager included for field installation


Tall Transition Storage Credenza



- 18
 72
 27 / 33
 150
 25
 BS1872-33TSR
 \$4,352

 18
 72
 27 / 33
 150
 25
 BS1872-33TSL
 \$4,352
- · two doors with two fixed shelves,
- · open cabinet with two fixed shelves
- bent ply top
- · linking hardware
- · interior dividers have a wire pass thru
- · two rectangular back center grommets available, specify and add \$224 list
- · 24" wire manager included for field installation


Tall Transition Storage Credenza



- 18
 54
 27 / 33
 150
 19
 BS1854-33TFSR
 \$4,205

 18
 54
 27 / 33
 150
 19
 BS1854-33TFSL
 \$4,205
- one door with two fixed shelves, two drawers with open compartments
- · bent ply top
- · linking hardware
- · interior dividers have a wire pass thru
- \cdot two rectangular back center grommets available, specify and add \$224 list
- · 24" wire manager included for field installation

Tall Transition Storage Credenza



- 18
 72
 27 / 33
 170
 25
 BS1872-33TFSR
 \$4,795

 18
 72
 27 / 33
 170
 25
 BS1872-33TFSL
 \$4,795
- two doors with two fixed shelves, two drawers with open compartments
- bent ply top
- · linking hardware
- · interior dividers have a wire pass thru
- · two rectangular back center grommets available, specify and add \$224 list
- · 24" wire manager included for field installation

To Order, Specify:

- Model Number
- 2 Wood Species Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
- 3 Wood Finish See Wood Finish Options
- 4 Door/Drawer Front Optional Paint Color See Paint Color Options
- Metal Leg Color See Metal Leg Color Options

- · Wood species Rift Cut White Oak or Flat Cut Walnut.
- · 3/4" thick plywood tops
- Exterior feet and leg frames are fabricated from 14 guage steel tubing and 14 guage flat stock.



\$3,250

\$3,250

Description	D	W	Н	CTN WT	CU FT	Model	List Price
Open Bookcase	18	36	48	99	22	BS1836-480BC	\$2,512






- · open cabinet, two shelves
- · lower shelf fixed, always straight
- · upper shelf adjustable, straight standard; bent plywood available, specify and add \$847 to list
- · specify back height: full back, mid back or low back
- · linking hardware

Open Boo	kcase with	Lower	Doors
----------	------------	-------	-------


Lower Doors	18	36	48	115	22	BS1836-48SBC	\$2,695
	· two doors	onen cabi	net with two	shelves			





- lower shelf fixed, always straight
- upper shelf adjustable, straight standard; bent plywood available, specify and add \$847 to list
- · specify back height: full back, mid back or low back
- · linking hardware

Open Storage Bookcase with	
Tower	




- 18 54 48 165 33 BS1854-480BCR \$3,051 18 54 48 165 33 BS1854-480BCL \$3,051
- open cabinet, four shelves
- two lower shelves fixed, always straight
- two upper shelves adjustable, straight standard; bent plywood available on wide shelf, specify and add \$847 to list
- · specify back height: full back, mid back or low back
- bent plywood . linking hardware

18

lefts shown

Storage Bookcase with	Lower
Doors and Tower	



<u></u>		1	8.
		two	do
	٠	two	lo
		two	ıır

- o doors, open cabinet
- o lower shelves fixed, always straight

54

54

two upper shelves adjustable, straight standard; bent plywood available on wide shelf,

181

181

33

33

- specify and add \$847 to list
- specify back height: full back, mid back or low backs

48

48

· linking hardware

lefts shown

BS1854-48DBCR

BS1854-48DBCL

\$3,406

\$3,406



Description	D	W	Н	CTN WT	CU FT	Model	List Price	
Storage Bookcase with Tower	18	54	48	185	33	BS1854-48TBCR	\$3,250	
Door	18	54	48	185	33	BS1854-48TBCL	\$3,250	
		ower door with two shelves, lower shelf fixed						

straight optional bent plywood

lefts shown

· open cabinet with two shelves

· lower shelf fixed, always straight


upper shelf adjustable, straight standard; bent plywood available on upper shelf,

specify and add \$847 to list

bent plywood · specify back height: full back, mid back or low backs

· linking hardware

Storage Bookcase with Full Door
Set and Tower



lefts shown

· tower door with two shelves, lower shelf fixed

· open cabinet with two shelves

54

54

· lower shelf fixed, always straight

 \cdot upper shelf adjustable, straight standard; bent plywood available on adjustable shelf, specify and add \$847 to list

201

201

33

33

BS1854-48SBCR

BS1854-48SBCL

· specify back height: full back, mid back or low backs

48

48

· linking hardware

18

18

To Order, Specify:

- 1 Model Number
- 2 Wood Species Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
- 3 Wood Finish See Wood Finish Options
- 4 Door Front Optional Paint Color See Paint Color Options
- 3 Back Height Full Back, Mid Back, Low Back
- 6 Metal Leg Color See Metal Leg Color Options

- \cdot Wood species Rift Cut White Oak or Flat Cut Walnut.
- · 3/4" thick plywood tops
- Exterior feet and leg frames are fabricated from 14 guage steel tubing and 14 guage flat stock.

straight


shelves




\$3,675

\$3,675


Description	D	W	Н	CTN WT	CU FT	Model	List Price
Open Bookcase	18	36	68	114	31	BS1836-680BC	\$2,941






- · open cabinet, three shelves
- · lower shelf fixed, always straight
- two upper shelves adjustable, straight standard; bent plywood available, specify and add \$847 per shelf to list
- · specify back height: full back, mid back or low backs
- · linking hardware

Open Bookcase	with Lower	Doors
---------------	------------	-------






optional bent plywood

- $\boldsymbol{\cdot}$ two doors, open cabinet with three shelves
- · lower shelf fixed, always straight
- two upper shelves adjustable, straight standard; bent plywood available, specify and add \$847 per shelf to list
- · specify back height: full back, mid back or low backs
- · linking hardware

0pen	Storage	Bookcase	with
Τονιοι			




lefts shown

18	54	68	209	46	BS1854-680BCR	\$3,499
18	54	68	209	46	BS1854-680BCL	\$3,499

- · open cabinet, six shelves
- $\boldsymbol{\cdot}$ two lower shelves fixed, always straight
- \cdot four upper shelves adjustable, straight standard; bent plywood available on wide shelves, specify and add \$847 per shelf to list
- · specify back height: full back, mid back or low backs
- linking hardware

Storage Bookcase with Lower Doors and Tower



lefts shown

18 54 68 225 46 BS1854-68DBC	20100			00	٠.	10	
16 34 06 223 40 B31034-00DBC	BS185	46	225	68	54	18	

- two doors, open cabinet with six shelves
- · two lower shelves fixed, always straight
- · four upper shelves adjustable, straight standard; bent plywood available on wide shelves,
- specify and add \$847 per shelf to list
- specify back height: full back, mid back or low backs
- · linking hardware

BS1854-68DBCR




Description	D	W	Н	CTN WT	CU FT	Model	List Price
Storage Bookcase with Tower	18	54	68	234	46	BS1854-68TBCR	\$3,675
Door	18	54	68	234	46	BS1854-68TBCL	\$3,675

- straight optional shelves bent plywood
- $\boldsymbol{\cdot}$ tower door with three shelves, lower shelf fixed
- · open cabinet with three shelves
- · lower shelf fixed, always straight
- two upper shelves adjustable, straight standard; bent plywood available on adjustable shelves, specify and add \$847 per shelf to list
- specify back height: full back, mid back or low backs
- · linking hardware

Storage	Bookcase	with	Full	Door

Set and Tower

lefts shown



lefts shown

18	54	68	250	46	BS1854-68SBCR	\$3,830
18	54	68	250	46	BS1854-68SBCL	\$3,830

- · tower door with three shelves, lower shelf fixed
- · open cabinet with three shelves
- · lower shelf fixed, always straight;
- two upper shelves adjustable, straight standard; bent plywood available on adjustable shelves, specify and add \$847 per shelf to list
- · specify back height: full back, mid back or low backs
- · linking hardware

To Order, Specify:

- 1 Model Number
- 2 Wood Species Rift Cut White Oak (WK4) or Flat Cut Walnut (WA1)
- 3 Wood Finish See Wood Finish Options
- 4 Door Front Optional Paint Color See Paint Color Options
- 3 Back Height Full Back, Mid Back, Low Back
- 6 Metal Leg Color See Metal Leg Color Options

Specifications:

- · Wood species Rift Cut White Oak or Flat Cut Walnut.
- · 3/4" thick plywood tops
- Exterior feet and leg frames are fabricated from 14 guage steel tubing and 14 guage flat stock.

BS43

$\underline{\mathbb{W}}$	
¥	
⅓	
\sim	

Description	D	w	Н	CTN WT	CU FT	1 Model	List Price
Power Center Under Mount	6	3 ⁵ /8	2 1/2	4	1	EC21	\$563



- · mounts under platform or surface
- · field installable
- $\cdot\,$ one power receptacle 110 volt, one dual USB port
- \cdot 10' power cord with molded plug
- · specify Black (B) or White (W) finish

To Order, Specify:

Model Number